

# blu'box 26 eco plus hot

Isolated, actively heated, food transport box for keeping warm, for professional catering- and canteen kitchen areas for distribution and actively keeping food warm in GN-containers (up to 1x GN 1/1, 200 mm deep or subdivisions).

## Product Description

- > Method of production: vacuum deep drawing
- > Top loader (light, robust design)
- > Actively heated with removable heating rod
- > Self regulating heating element
- > Useable in dry or wet operation (Bain-Marie)
- > With recessed grip and clip closures
- > Closures can be exchanged without tool
- > Colour: blue metallic (brown-red fixtures)
- > Stackable
- > Temperature range of use: -20°C until +100°C
- > Dishwasher safe (after removal of the heating rod)
- > A short-term disinfection up to +130°C is possible
- > Material: polypropylene, foamed out with polyurethane
- > Stiffeners in Polyurethane

## Information about the Heating Element

- > Easy expansion and installation without tools
- > Connection value: 220 until 240 V – 50 Hz
- > Power consumption: Ø 240 watt
- > Temperature: approx. +125°C

## Product Data

- > L/W/H: 630 x 370 x 308 mm
- > Art.-no.: 4000402 (EU), 4000799 (CH), 4000800 (UK)
- > Net weight: 7,3 kg

## Packing

- > Carton size: 65 x 38 x 32 cm
- Gross weight: 8,4 kg (= 1 article per carton)
- > Pallet size: 80 x 140 x 190 cm
- Gross weight: 180 kg (= 20 cartons per pallet)


## Possibility to Modification/Upgrade

- > 664201677 high lid for cooling element
- > 4000388 blu' box cool-accu – passive cooling element
- > 8001845 beverage container made of CNS – 18 litre
- > 4000558 blu' mobil board – trolley
- > 4000497 blu' mobil easy roll – trolley

## Product Picture



## Loss in Temperature (blu'box 26 eco plus hot)



For more information, please refer to our current user manuals at [www.bluline.de](http://www.bluline.de)