




**liquid**

Without drip pan Art.-no. 4000587


With drip pan Art.-no. 4000591

**Original – User manual**

Art.-no. 4000587





Art.-no. 4000591



Beverage transport containers for the transportation of warm and cold beverages



## • Use and explanation



 **Proper handling**


Remove all removable parts:



- Cover
- Sealing ring for cover

  **- 20°C to + 100°C**

- Tap part
- Outlet head
- Sealing ring for outlet head

## • Cleaning





  **< + 130°C**





- Clean all the removable parts in the dishwasher, all small parts must be put into a basket (dish washer temperature **< + 130°C**).
- For cleaning we recommend the use of etolit 3000 or 8000.

- **Storage**


The containers must be correctly stacked on top of each other and must be kept in clean, dry rooms.




- **Transportation**




- **Disassembly of the clip closure Art.-no. 8002625**



Remove the sealing plugs of the screws with a pointed object (plugs will be destroyed).




Please remove the screws with help of a screwdriver.




The clip closure can now be removed.

- Disassembly and assembly of the outlet




Disassembly:

Turn the outlet head unit counterclockwise by 90°




Disassembly:

Unscrew the outlet head and tap part counterclockwise and pay attention to the sealing ring.



Assembly:

Place the sealing ring in the tap part and screw the outlet head together counterclockwise.



Assembly:

Turn the outlet head unit clockwise by 90°.

• Spare parts for Art.-no. 4000587

Modification: new ventilation

1 x 8000330
1 x 8003495
1 x 664100486
1 x 664202279
1 x 8003496
1 x 664202310


2 x 8002625
4 x 8004945
4 x 8001742

1 x 8004944
1 x 8002797
1 x 8004942


6 x 8002462
6 x 8002486
6 x 8001027

• Optional additional parts – Drip pan



4 x 8002660
1 x 664100833
4 x 8002462
4 x 8002495
4 x 8001027



- Disassembly and assembly of the drip pan



Remove the 4 Plugs Art.-no. 8001027 for the screw holes with a pointed object (plugs will be destroyed). Please turn the 4 screws Art.-no. 8002486 out with the help of a screwdriver and put in the 4 stacking fittings Art.-no. 8002462.






Order of the assembly of the drip pan:





- 4 x 8002495 – Allen screw M5x120
- 4 x 8002462 – Stacking fittings
- 1 x 664100833 – Drip pan
- 4 x 8002660 – Distance piece
- 4 x 8001027 – Plug for the screw hole

- **Technical data**

Main dimensions and weight



Art.-no.4000587  
Weight = 6,0 kg



Art.-no. 4000591  
Weight = 6,8 kg

- **Producer**

**etol Eberhard Tripp GmbH** • Allerheiligenstraße 12 • 77728 Oppenau • Germany  
T. + 49 (0) 7804 410 [www.bluline.de](http://www.bluline.de) - [info.bluline@etol.de](mailto:info.bluline@etol.de)

Powerful products for commercial kitchens.  
[www.etol.de](http://www.etol.de)



**etol Eberhard Tripp GmbH** • Allerheiligenstraße 12 • 77728 Oppenau • Germany  
T. +49 (0) 7804 410 • [www.bluline.de](http://www.bluline.de) • [info.bluline@etol.de](mailto:info.bluline@etol.de)