

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 1/10



etolit 3500

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1. Product identifier

Trade name/designation:

etolit 3500

* 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 2</i>)	H411: Toxic to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion



GHS09
Environment

Signal word: Danger

Hazard components for labelling:

sodium hydroxide; Troclosene sodium, dihydrate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 2/10



etolit 3500

Hazard statements for physical hazards

H290 May be corrosive to metals.

hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

Supplemental hazard information

EUH031 Contact with acids liberates toxic gas.

Precautionary statements Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-73-2 EC No.: 215-185-5 Index No.: 011-002-00-6 REACH No.: 01-2119457892-27-0035	sodium hydroxide Skin Corr. 1A Danger H314	25 - 50 weight-%
CAS No.: 497-19-8 EC No.: 207-838-8 REACH No.: 01-2119485498-19	sodium carbonate Eye Irrit. 2 Warning H319	5 - 25 weight-%
CAS No.: 51580-86-0 EC No.: 220-767-7 REACH No.: 01-2119489371-33	Troclosene sodium, dihydrate Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Eye Irrit. 2, STOT SE 3 Warning H302-H319-H335-H410-EUH031	1 - ≤ 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 3/10



etolit 3500

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO₂)

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (Cl₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 4/10



etolit 3500

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class: 8B – Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

*

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium hydroxide CAS No.: 1310-73-2	1 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.661 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.661 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.375 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.375 mg/kg	① DNEL worker ② Acute - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.75 mg/kg	① DNEL worker ② Long-term - oral, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4	0.75 mg/kg	① DNEL worker ② Acute - oral, systemic effects
sodium carbonate CAS No.: 497-19-8	10 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 5/10



etolit 3500

Substance name	DNEL value	① DNEL type ② Exposure route
Troclosene sodium, dihydrate CAS No.: 51580-86-0	8.11 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects

Substance name	PNEC Value	① PNEC type
sodium tripolyphosphate CAS No.: 7758-29-4	0.005 mg/l	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4	0.005 mg/l	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4	0.05 mg/l	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4	0.14 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm
Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Powder

Colour: white

Odour: Chlorine

Safety relevant basis data

parameter		at °C	Method	Remark
pH	14	20 °C		
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1 g/cm ³	20 °C		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 6/10



etolit 3500

parameter		at °C	Method	Remark
Bulk density	<i>not determined</i>			
Water solubility	> 50 g/l	20 °C		
Partition coefficient: n-octanol/ water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Contact with acids liberates toxic gas. The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

* 10.4. Conditions to avoid

Slowly corrodes aluminium and zinc under hydrogen evolution. Protect from moisture.

10.5. Incompatible materials

Exothermic reaction with: Acid

Light metals

10.6. Hazardous decomposition products

Chlorine

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
497-19-8	sodium carbonate	LD₅₀ oral: =2,800 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (dust/mist): =2.3 mg/l 2 h (Rat)
51580-86-0	Troclosene sodium, dihydrate	LD₅₀ oral: =1,400 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 7/10



etolit 3500

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

* 12.1. Toxicity

CAS No.	Substance name	Toxicological information
1310-73-2	sodium hydroxide	LC₅₀ : >133 - <189 mg/l 2 d (fish-, <i>Leuciscus idus</i> (golden orfe)) EC₅₀ : >100 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
497-19-8	sodium carbonate	EC₅₀ : >200 - <227 mg/l 2 d (crustaceans, <i>Ceriodaphnia spec</i>) LC₅₀ : =300 mg/l 4 d (fish-, <i>Lepomis macrochirus</i> (Bluegill))
51580-86-0	Troclosene sodium, dihydrate	LC₅₀ : =0.37 mg/l 4 d (fish-, <i>Oncorhynchus mykiss</i> (Rainbow trout)) EC₅₀ : =0.28 mg/l 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
1310-73-2	sodium hydroxide	-3.88	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 8/10



etolit 3500

Waste code product:

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options









Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
UN 1759	UN 1759	UN 1759	UN 1759
14.2. UN proper shipping name			
CORROSIVE SOLID, N.O.S. (NATRIUMHYDROXID, TROCLOENNATRIUM)	CORROSIVE SOLID, N.O.S. (NATRIUMHYDROXID, TROCLOENNATRIUM)	CORROSIVE SOLID, N.O.S. (SODIUM HYDROXIDE, TROCLOSENE SODIUM)	CORROSIVE SOLID, N.O.S. (SODIUM HYDROXIDE; TROCLOSENE SODIUM)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
		 MARINE POLLUTANT	
14.6. Special precautions for user			
Special provisions: Limited quantity (LQ): 1 Kg Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code-: C6 tunnel restriction code-: (E) Remark:	Special provisions: Limited quantity (LQ): 1 Kg Excepted Quantities (EQ): E2 Classification code-: C6 Remark:	Special provisions: Limited quantity (LQ): 1 Kg Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B Remark:	Special provisions: Excepted Quantities (EQ): Remark:

*

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 9/10



etolit 3500

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- E2 Hazardous to the Aquatic Environment in Category Chronic 2
- Volatile organic compounds (VOC) content in percent by weight: 0%
Regulation (EC) No. 648/2004 (Detergents regulation)
>30% phosphates
<5% chlorine-based bleaching agents

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

Hazard categories:

- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Water hazard class

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier
1.2.	Relevant identified uses of the substance or mixture and uses advised against
8.1.	Control parameters
10.4.	Conditions to avoid
11.1.	Information on toxicological effects
12.1.	Toxicity
14.6.	Special precautions for user
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Nov 2020

Print date: 26 Nov 2020

Version: 7.2

Page 10/10



etolit 3500

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

16.6. Training advice

No data available

16.7. Additional information

No data available

* Data changed compared with the previous version