

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 1/10

etolit 4000

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit 4000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion



GHS07

Exclamation mark

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 2/10

etolit 4000

Hazard components for labelling:

sodium metasilicate, pentahydrate; Troclosene sodium, dihydrate

Hazard statements for health hazards

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Supplemental hazard information

EUH031	Contact with acids liberates toxic gas.
--------	---

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing and eye/face protection.
------	---

Precautionary statements Response

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 10213-79-3 REACH No.: 01-2119449811-37	sodium metasilicate, pentahydrate Met. Corr. 1 (H290), STOT SE 3 (H335), Skin Corr. 1B (H314) Danger	25 - 50 weight-%
CAS No.: 497-19-8 EC No.: 207-838-8 REACH No.: 01-2119485498-19	sodium carbonate Eye Irrit. 2 (H319) Warning	5 - 25 weight-%
CAS No.: 51580-86-0 EC No.: 220-767-7 REACH No.: 01-2119489371-33	Troclosene sodium, dihydrate Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Irrit. 2 (H319), STOT SE 3 (H335) Warning EUH031	0 - ≤ 5 weight-%
	fatty alcohol alkoxylate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319) Warning	1 - ≤ 2.5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. Get medical advice/attention if you feel unwell. In case of respiratory tract irritation, consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 3/10

etolit 4000

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-----. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Irritation to respiratory tract Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water
Extinguishing powder
Carbon dioxide (CO₂)
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

Chlorine (Cl₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 4/10

etolit 4000

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection
High efficiency particulate air filter (HEPA filter)

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	6.22 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1.49 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 5/10

etolit 4000

Substance name	DNEL value	① DNEL type ② Exposure route
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	① DNEL worker ② Acute - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Long-term - oral, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Acute - oral, systemic effects
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	10 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7	8.11 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects

Substance name	PNEC Value	① PNEC type
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	7.5 mg/l	① PNEC aquatic, freshwater
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1 mg/l	① PNEC aquatic, marine water
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1,000 mg/l	① PNEC sewage treatment plant
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/l	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/l	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.05 mg/l	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.14 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm
Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

8.2.3. Environmental exposure controls

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 6/10

etolit 4000

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: white

Odour: Chlorine

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	14	20 °C	
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not applicable</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	≈ 1 g/ml	20 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	> 50 g/l	20 °C	
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

* 10.1. Reactivity

Contact with acids liberates toxic gas. The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

Chlorine

Thermal decomposition can lead to the escape of irritating gases and vapours.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 7/10

etolit 4000

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	LD₅₀ oral: =1,153 mg/kg (Rat) LD₅₀ dermal: >5,000 mg/kg (Rat)
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	LD₅₀ oral: =4,090 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7	LD₅₀ oral: =1,400 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
fatty alcohol alkoxylate	LD₅₀ oral: >500 - ≤2,000 mg/kg (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	LC₅₀: =210 mg/l 4 d (fish-----, Danio rerio (zebrafish-----)) EC₅₀: =1,700 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 8/10

etolit 4000

Substance name	Toxicological information
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	EC ₅₀ : >200 - <227 mg/l 2 d (crustaceans, Ceriodaphnia spec) LC ₅₀ : =300 mg/l 4 d (fish-----, Lepomis macrochirus (Bluegill))
Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7	LC ₅₀ : =0.37 mg/l 4 d (fish-----, Oncorhynchus mykiss (Rainbow trout)) EC ₅₀ : =0.28 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))
fatty alcohol alkoxyolate	LC ₅₀ : >10 - <100 mg/l 4 d (fish-----, Danio rerio (zebrafish-----)) EC ₅₀ : >10 - <100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) EC ₅₀ : >10 - <100 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus) NOEC: >0.1 - <1 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 *	Detergents containing hazardous substances
------------	--

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 9/10

etolit 4000

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 3253	UN 3253	UN 3253	UN 3253
14.2. UN proper shipping name			
DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Limited quantity (LQ): E1 Excepted Quantities (EQ): 5kg Hazard identification number (Kemler No.): 80 Classification code-----: C6 Tunnel restriction code-----: (E)	Limited quantity (LQ): E1 Excepted Quantities (EQ): 5kg Classification code-----: C6	Limited quantity (LQ): E1 Excepted Quantities (EQ): 5kg EmS-No.: F-A, S-B	No data available

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 (Detergents regulation)

>30% phosphates

<5% non-ionic surfactants , chlorine-based bleaching agents

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

1 - schwach wassergefährdend

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Feb 2022

Print date: 23 Feb 2022

Version: 8



Page 10/10

etolit 4000

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

2.2.	Label elements
10.1.	Reactivity

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version