according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 1/10



etolit 8000

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit 8000

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau Germany

Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de
Website: www.etol.de

* 1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
, , , , , , , , , , , , , , , , , , , ,	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 2/10



etolit 8000

Hazard components for labelling:

potassium hydroxide; sodium hypochlorite solution

Hazard statements	for physical hazards
H290	May be corrosive to metals.

Hazard statements for health hazards		
H314	Causes severe skin hurns and eve damage	

Hazard statements for environmental hazards		
H412 Harmful to aquatic life with long lasting effects		

Supplemental hazard information		
FUH031 Contact with acids liberates toxic gas		

Precautionary statements Prevention		
P280	Wear protective gloves/protective clothing and eye/face protection.	

Precautionary statements Response		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33	potassium hydroxide Acute Tox. 4 (H302), Skin Corr. 1A (H314)	5 – 25 weight-%
CAS No.: 7681-52-9 EC No.: 231-668-3 Index No.: 017-011-00-1 REACH No.: 01-2119488154-34	sodium hypochlorite solution Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314) Danger EUH031 M-factor (acute): 10 M-factor (chronic): 1 Specific concentration limit (SCL) C ≥ 5%	1 – 2 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 3/10



etolit 8000

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water----. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO2)

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (CI2)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 4/10



etolit 8000

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Protect from sunlight.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Container should not be closed gas-tight.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	3.1 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m ³	DNEL worker Long-term – inhalation, local effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 5/10



etolit 8000

Substance name	① DNEL type ② Exposure route
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	① DNEL worker ② Acute - inhalation, local effects

Substance name	PNEC Value	① PNEC type
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	0.21 μg/L	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	0.042 μg/L	① PNEC aquatic, marine water
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	0.03 mg/L	① PNEC sewage treatment plant
sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3	11.1 mg/kg	① PNEC secondary poisoning

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment







Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: light yellow

Odour: Chlorine

Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
рН	14	20 °C	
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	> 90 °C		
Decomposition temperature	not determined		
Flash point	not applicable		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 6/10



etolit 8000

Parameter	Value	at °C	① Method
			② Remark
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	≈ 1.2 g/cm³	20 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	completely miscible	20 °C	
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined	40 °C	

particle characteristics:

not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. The product itself does not burn. Contact with acids liberates toxic gas.

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Slowly corrodes aluminium and zink under hydrogen evolution.

10.5. Incompatible materials

Light metals

Acid

10.6. Hazardous decomposition products

Chlorine

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

LD₅₀ oral: =333 mg/kg (Rat) OECD 425

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

LD₅₀ oral: =1,100 mg/kg (Rat)

LD₅₀ dermal: >20,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (vapour): >10.5 mg/L (Rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe burns.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 7/10



etolit 8000

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

LC₅₀: =80 mg/L 4 d (fish-----, Gambusia affinis (Mosquito fish-----))

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

 LC_{50} : =0.06 mg/L 4 d (fish----)

NOEC: =0.04 mg/L 12 d (fish----)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Biodegradation: not applicable

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

Biodegradation: not applicable

12.3. Bioaccumulative potential

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Log Kow: -3.88

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

Log K_{OW}: -3.42

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 8/10



etolit 8000

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV Waste code product

vaste code product

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

DECTION 14. Italisport information					
Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.1. UN number or	ID number				
UN 3266	UN 3266	UN 3266	UN 3266		
14.2. UN proper ship	ping name	-			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION, HYPO- CHLORITE SOLUTION)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION, HYPO- CHLORITE SOLUTION)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION, HYPO- CHLORITE SOLUTION)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION, HYPO- CHLORITE SOLUTION)		
14.3. Transport haza	ird class(es)				
			(Let)		
8	8	8	8		
14.4. Packing group					
II	II	II	II		
14.5. Environmental	hazards				
No	No	No	No		
14.6. Special precautions for user					
Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities	No data available		
(EQ): E2	(EQ): E2	(EQ): E2			
Hazard identification number (Kemler No.):	Classification code: C5	EmS-No.: F-A, S-B			
Classification code: C5					

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 9/10



etolit 8000

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
Tunnel restriction			
code:			
(E)			

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-

III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 [Detergents regulation]

15-30% phosphates

<5% chlorine-based bleaching agents

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Named dangerous substances:

• Mixtures of sodium hypochlorite, aquatic acute 1 and < 5% active chlorine

for substances possibly developing during an incident:

This product is not assigned to a hazard category.

Named dangerous substances:

• Mixtures of sodium hypochlorite, aquatic acute 1 and < 5% active chlorine

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

_	-	_ · · · · · · · · · · · · · · · · · · ·
ſ	1.4.	Emergency telephone number
ſ	9.1.	Information on basic physical and chemical properties

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure	
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.	
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 22 Mar 2023

Version: 15.1 Page 10/10



etolit 8000

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Supplemental haza	ard information
EUH031	Contact with acids liberates toxic gas.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with t	the	previous	version.
--------------------------------	-----	----------	----------