

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 1/10

etolit Allzweckreiniger

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Allzweckreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

* 1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard components for labelling:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; isotridecanole ethoxylated

Hazard statements for health hazards	
H318	Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 2/10

etolit Allzweckreiniger

Supplemental hazard information: none

Precautionary statements Prevention

P280 Wear eye protection/face protection.

Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68411-30-3 REACH No.: 01-2119489428-22	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Danger	1 - 5 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2 (H319) Warning	1 - 5 weight-%
CAS No.: 9043-30-5	isotridecanole ethoxylated Acute Tox. 4 (H302), Eye Dam. 1 (H318) Danger	1 - 5 weight-%
CAS No.: 3811-73-2 EC No.: 223-296-5 REACH No.: 01-2119493385-28	pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 3 (H311, H331), Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 2 (H411), Eye Irrit. 2 (H319), STOT RE 1 (H372), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger M-factor (acute): 100	0 - < 0.02 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 3/10

etolit Allzweckreiniger

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Water

Extinguishing powder

Carbon dioxide (CO₂)

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

Carbon dioxide (CO₂)

Carbon monoxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 4/10

etolit Allzweckreiniger

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 29 Mar 2019	pyridine-2-thiol 1-oxide, sodium salt CAS No.: 3811-73-2 EC No.: 223-296-5	① 0.2 mg/m ³ ② 0.4 mg/m ³ ⑤ (eintatembare Fraktion; kann über die Haut aufgenommen werden) DFG, H, Y
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m ³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	6 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	85 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/cm ²	① DNEL worker ② Long-term - dermal, local effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 5/10

etolit Allzweckreiniger

Substance name	DNEL value	① DNEL type ② Exposure route
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	175 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	2,750 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	0.268 mg/L	① PNEC aquatic, freshwater
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	0.0268 mg/L	① PNEC aquatic, marine water
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	3.43 mg/L	① PNEC sewage treatment plant
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	8.1 mg/kg	① PNEC sediment, freshwater
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	8.1 mg/kg	① PNEC sediment, marine water
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3	0.0167 mg/L	① PNEC aquatic, intermittent release
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/L	① PNEC aquatic, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/L	① PNEC aquatic, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/kg	① PNEC soil, marine water
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	0.24 mg/L	① PNEC aquatic, freshwater
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	0.024 mg/L	① PNEC aquatic, marine water
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	10,000 mg/L	① PNEC sewage treatment plant
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	0.917 mg/kg	① PNEC sediment, freshwater
Fatty alcohol C12 / 14-ether sulfate, sodium salt CAS No.: 68891-38-3	0.092 mg/kg	① PNEC sediment, marine water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 6/10

etolit Allzweckreiniger

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: yellow

Odour: Lemon

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	8.6	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 90 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	= 1.02 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	No data available	40 °C	

particle characteristics:

not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 7/10

etolit Allzweckreiniger

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Carbon monoxide

Carbon dioxide

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3
LD₅₀ oral: =1,080 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rat)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6
LD₅₀ oral: >7,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rabbit)
LC₅₀ Acute inhalation toxicity (vapour): =6.41 mg/L (Rat)
isotridecanole ethoxylated CAS No.: 9043-30-5
LD₅₀ oral: =500 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rabbit)
pyridine-2-thiol 1-oxide, sodium salt CAS No.: 3811-73-2 EC No.: 223-296-5
ATE (oral): =500 mg/kg
ATE (dermal): =790 mg/kg
ATE (inhalation, dust/mist): =0.5 mg/L

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 8/10

etolit Allzweckreiniger

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3

LC₅₀: >1 - <10 mg/L 4 d (fish-----, Lepomis macrochirus (Bluegill))

NOEC: >4 mg/L 28 d (Algae/water plant)

pyridine-2-thiol 1-oxide, sodium salt CAS No.: 3811-73-2 EC No.: 223-296-5

LC₅₀: =0.00767 mg/L 4 d (fish-----, Danio rerio (zebrafish-----))

EC₅₀: =0.46 mg/L 3 d (Algae/water plant, Selenastrum capricornutum)

EC₅₀: =0.022 mg/L 2 d (crustaceans)

NOEC: =0.08 mg/L 3 d (Algae/water plant, Selenastrum capricornutum)

12.2. Persistence and degradability

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS No.: 68411-30-3

Biodegradation: Yes, rapidly

isotridecanole ethoxylated CAS No.: 9043-30-5

Biodegradation: Yes, rapidly

pyridine-2-thiol 1-oxide, sodium salt CAS No.: 3811-73-2 EC No.: 223-296-5

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

pyridine-2-thiol 1-oxide, sodium salt CAS No.: 3811-73-2 EC No.: 223-296-5

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 * | Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 * | packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 9/10

etolit Allzweckreiniger

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: <0,5%

Regulation (EC) No. 648/2004 [Detergents regulation]

<5% anionic surfactants , non-ionic surfactants ,phosponates Preservative : benzisothiazolinone, sodium pyrithione, perfumes : limonene, citral

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

2 - obviously hazardous to water

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.4.	Emergency telephone number
3.2.	Mixtures
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Mar 2024

Print date: 14 Mar 2024

Version: 10



Page 10/10

etolit Allzweckreiniger

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available

* Data changed compared with the previous version.