according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 1/9



etolit Clean

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

* 1.1. Product identifier Trade name/designation:

etolit Clean

* **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor Allerheiligenstr. 12 77728 Oppenau Germany **Telephone:** +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168 **E-mail:** info@etol.de **Website:** www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



Signal word: Danger

Hazard components for labelling: potassium hydroxide

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 2/9

etolit Clean

Hazard statements for physical hazards

H290 May be corrosive to metals.

hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

Supplemental hazard information: -

Precautionary sta	Precautionary statements Prevention		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.		
P280	Wear protective gloves/protective clothing and eye/face protection.		
Precautionary sta	tements Response		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].		
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
P338	present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/		

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 1310-58-3	potassium hydroxide	5 - 25
EC No.: 215-181-3	Acute Tox. 4, Skin Corr. 1A	weight-%
Index No.: 019-002-00-8	Danger H302-H314 Specific concentration limit (SCL):	
REACH No.: 01-2119487136-33	Skin Corr. 1A; H314: $C \ge 5\%$ Skin Corr. 1B; H314: $2\% \le C < 5\%$ Skin Irrit. 2; H315: $0.5\% \le C < 2\%$ Eye Dam. 1; H318: $C \ge 2\%$ Eye Irrit. 2; H319: $0.5\% \le C < 2\%$	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

(R)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 3/9

etolit Clean

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water Extinguishing powder

Carbon dioxide (CO2)

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). **For cleaning up:**

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 4/9

etolit Clean

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	Hydrocarbons, TRGS 900	 0 mg/m³ Mass fraction (wt %): 0

8.1.2. Biological limit values No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type Exposure route
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m³	 DNEL worker Long-term – inhalation, local effects
Alkyl amidopropyl betaine	44 mg/m ³	 DNEL worker Long-term – inhalation, systemic effects
Alkyl amidopropyl betaine	12.5 mg/kg	 DNEL worker Long-term - dermal, systemic effects
Substance name	PNEC Value	I PNEC type
Alkyl amidopropyl betaine	0.0135 mg/l	① PNEC aquatic, freshwater
Alkyl amidopropyl betaine	0.00135 mg/ l	① PNEC aquatic, marine water
Alkyl amidopropyl betaine	3,000 mg/l	1 PNEC sewage treatment plant



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 5/9

etolit Clean

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid **Odour:** characteristic

Colour: red

Safety relevant basis data

parameter		at °C	Method	Remark
рН	14	20 °C	İ	
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	= 1.1 g/cm ³	20 °C		
Relative density	not determined			
Bulk density	not determined			
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 6/9

etolit Clean

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

Slowly corrodes aluminium and zink under hydrogen evolution.

10.5. Incompatible materials

Materials to avoid : Acid Light metals

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information	
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	LD ₅₀ oral: =333 mg/kg (Rat) OECD 405	
Acute oral toxicity: Based on available data, the classification criteria	are not met.	
Acute dermal toxicity: Based on available data, the classification criteria	are not met.	
Acute inhalation toxicity: Based on available data, the classification criteria	are not met.	
Skin corrosion/irritation: Causes severe burns.		
Serious eye damage/irritation: Causes serious eye damage.		
Respiratory or skin sensitisation: Based on available data, the classification criteria	are not met.	
Germ cell mutagenicity: Based on available data, the classification criteria	are not met.	
Carcinogenicity: Based on available data, the classification criteria	are not met.	
Reproductive toxicity: Based on available data, the classification criteria are not met.		
STOT-single exposure: Based on available data, the classification criteria	are not met.	
STOT-repeated exposure: Based on available data, the classification criteria	are not met.	
Aspiration hazard: Based on available data, the classification criteria	are not met.	
Additional information: No data available		
11.2. Information on other hazards No data available		
	en / DE	



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 7/9

etolit Clean

ete

etolit Clean			
SECTION 12: Ecological inform	ation		
12.1. Toxicity			
Substance name	Toxicological information		
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	LC₅₀: =80 mg/ fish-))	LC₅₀: =80 mg/l 4 d (fish-, Gambusia affinis (Mosquito fish-))	
12.2. Persistence and degradabilit	y		
Substance name	Biodegradatio	on Remark	
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	not applicable		
12.3. Bioaccumulative potential			
Substance name	Log K _{OW}	Bioconcentration factor (BCF)	
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	-3.88		
12.4. Mobility in soil No data available			
12.5. Results of PBT and vPvB asso			
Substance name		T and vPvB assessment	
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3		in the mixture does not meet the PBT/ cording to REACH, annex XIII.	
12.7. Other adverse effects No data available			
SECTION 13: Disposal consider	rations		
13.1. Waste treatment methods			
13.1.1. Product/Packaging disposal			
Waste codes/waste designations according t			
Waste code product:			
20 01 29 * Detergents containing hazardous s	substances		
: Evidence for disposal must be provided.			
Waste code packaging:			
15 01 10 * packaging containing residues of c	or contaminated by danger	rous substances	
: Evidence for disposal must be provided.			
Waste treatment options			
Appropriate disposal / Product: Dispose of waste according to applicable le about waste disposal.	gislation. Consult the a	ppropriate local waste disposal expe	
Appropriate disposal / Package: Completely emptied packages can be recyc	cled.		
		en /	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 8/9

*

etolit Clean

eto	®

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN number or	ID number		
UN 1814	UN 1814	UN 1814	UN 1814
14.2. UN proper shi	pping name		
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport haz	ard class(es)		
	A CONTRACTOR OF	a contraction of the second se	a de la companya de l
8	8	8	8
14.4. Packing group)		
	II	II	II
14.5. Environmenta	l hazards		
No	No	No	No
14.6. Special preca	utions for user		
Special provisions: Limited quantity (LQ): 1 Excepted Quantities (EQ): E2 Hazard identification number (Kemler	Special provisions: Limited quantity (LQ): 1 Excepted Quantities (EQ): E2 Classification code-: C5	Special provisions: Limited quantity (LQ): 1 Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B Remark:	Special provisions: Excepted Quantities (EQ): Remark:
No.): 80 Classification code-: C5 tunnel restriction code-: (E) Remark:	Remark:		

No data available

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Volatile organic compounds (VOC) content in percent by weight: 0% Regulation (EC) No. 648/2004 (Detergents regulation) <5% amphoteric surfactants

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Apr 2021 Print date: 14 Apr 2021 Version: 8

Page 9/9

etolit Clean

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product: This product is not assigned to a hazard category.

Water hazard class

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

- 1.1. Product identifier
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 8.1. Control parameters
- 14.6. Special precautions for user
- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319 Causes serious eye irritation.	

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version

