according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1



etolit Compactreiniger 5300

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Compactreiniger 5300

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau Germany

Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de
Website: www.etol.de

1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
Respiratory or skin sensitisation (Resp. Sens. 1)	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion



GHS08 Health hazard

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1



etolit Compactreiniger 5300

Hazard components for labelling:

sodium hydroxide; tosylchloramide sodium, trihydrate

Hazard statements	for physical hazards
H290	May be corrosive to metals.

Hazard statements for health hazards		
H314	Causes severe skin burns and eye damage.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

Precautionary statements Prevention	
P280	Wear protective gloves/protective clothing and eye/face protection.

Precautionary stat	Precautionary statements Response		
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].		
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
1	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/		

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-73-2	sodium hydroxide	25 - 50
EC No.: 215-185-5	Skin Corr. 1A (H314)	weight-%
Index No.: 011-002-00-6	◆ Danger	
REACH No.:	Specific concentration limit (SCL)	
01-2119457892-27-0035	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2% ≤ C < 5%	
	Skin Irrit. 2; H315: 0.5% ≤ C < 2%	
	Eye Dam. 1; H318: C ≥ 2%	
	Eye Irrit. 2; H319: 0.5% ≤ C < 2%	
CAS No.: 7080-50-4	tosylchloramide sodium, trihydrate	5 - 15
REACH No.:	Acute Tox. 4 (H302), Resp. Sens. 1 (H334), Skin Corr. 1B (H314)	weight-%
01-2120772085-53	Danger	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Get immediate medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1



etolit Compactreiniger 5300

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water----. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Allergic reactions Asthmatic complaints Respiratory complaints Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (CI2)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1
Page 4/10



etolit Compactreiniger 5300

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m³	DNEL worker Long-term – inhalation, local effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m ³	DNEL worker Acute - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	DNEL worker Long-term - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	DNEL worker Acute – dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Long-term - oral, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1 Page 5/10



etolit Compactreiniger 5300

Substance name	DNEL value	① DNEL type ② Exposure route
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Acute – oral, systemic effects
tosylchloramide sodium, trihydrate CAS No.: 7080-50-4	19.1 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
tosylchloramide sodium, trihydrate CAS No.: 7080-50-4	13.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/L	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/L	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.05 mg/L	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.14 mg/kg	① PNEC soil, freshwater
tosylchloramide sodium, trihydrate CAS No.: 7080-50-4	0.11 mg/L	① PNEC aquatic, freshwater
tosylchloramide sodium, trihydrate CAS No.: 7080-50-4	0.057 mg/L	① PNEC sewage treatment plant

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment







Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid Colour: white

Odour: odourless

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1 Page 6/10



etolit Compactreiniger 5300

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	14	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Vapour pressure	No data available		
Density	≈ 1.6 g/mL	20 °C	
Bulk density	No data available		
Water solubility	> 50 g/L	20 °C	

particle characteristics:

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Contact with acids liberates toxic gas. The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Slowly corrodes aluminium and zink under hydrogen evolution.

10.5. Incompatible materials

Exothermic reaction with: Acid

Light metals

10.6. Hazardous decomposition products

In case of fire: Chlorine

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

tosylchloramide sodium, trihydrate	CAS No.: 7080-50-4
LD₅₀ oral: >381.6 mg/kg (Rat)	
LD₅₀ dermal: >2,000 mg/kg (Rat)	
LC ₅₀ Acute inhalation toxicity (dus	t/mist): >0.275 mg/L 4 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe burns.

Serious eye damage/irritation:

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1
Page 7/10



etolit Compactreiniger 5300

Respiratory or skin sensitisation:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

tosylchloramide sodium, trihydrate CAS No.: 7080-50-4

LC₅₀: =100 mg/L 4 d (fish----)

EC₅₀: =4.5 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC₅₀: =13 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata)

NOEC: >1.1 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))

sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5

LC₅₀: >133 - <189 mg/L 2 d (fish----, Leuciscus idus (golden orfe))

EC₅₀: >100 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

12.2. Persistence and degradability

tosylchloramide sodium, trihydrate CAS No.: 7080-50-4

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

tosylchloramide sodium, trihydrate CAS No.: 7080-50-4

Log K_{OW}: -1.3

sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5

Log Kow: -3.88

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

tosylchloramide sodium, trihydrate CAS No.: 7080-50-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1



etolit Compactreiniger 5300

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)		Sea transport (IMDG)	Air transport (ICAO-TI /		
(ADN) IATA-DGR) 14.1. UN number or ID number					
UN 1823	UN 1823	UN 1823	UN 1823		
14.2. UN proper ship	***	014 1023	014 1023		
	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODILIM HYDROXIDE SOLID		
14.3. Transport haza		JODION TITOROXIDE, JOEID	SODION TITOROXIDE, SOLID		
8	8	8	8		
14.4. Packing group			•		
II	II	II	II		
14.5. Environmental	14.5. Environmental hazards				
No	No	No	No		
14.6. Special precau	14.6. Special precautions for user				
Limited quantity (LQ): 1kg	Limited quantity (LQ): 1kg	Limited quantity (LQ): 1kg	No data available		
Excepted Quantities (EQ):	Excepted Quantities (EQ): E2	Excepted Quantities (EQ): E2			
Hazard identification number (Kemler No.):	Classification code: C6	EmS-No.: F-A, S-B			
Classification code:					
Tunnel restriction code: (E)					

14.7. Maritime transport in bulk according to IMO instruments

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1



etolit Compactreiniger 5300

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 [Detergents regulation]

15-30% phosphates

5-15% chlorine-based bleaching agents, polycarboxylates

<5% phosphonates

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

2 - obviously hazardous to water

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

		_ · · · · · · · · · · · · · · · · · · ·
	1.4.	Emergency telephone number
١	9.1.	Information on basic physical and chemical properties

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

egulation (Ee, ito 12, 2, 2000 [eti]				
Hazard classes and hazard categories	Hazard statements	Classification procedure		
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.		
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.		
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.		
Respiratory or skin sensitisation (Resp. Sens. 1)	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Calculation method.		

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

, deli di il di		
Hazard statements		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Jan 2024 Print date: 12 Jan 2024

Version: 8.1 Page 10/10



etolit Compactreiniger 5300 16.6. Training advice No data available 16.7. Additional information No data available * Data changed compared with the previous version.