

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 1/11



etolit Edelstahl Glanzrockner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Edelstahl Glanzrockner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation 29 CFR 1910.1200

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

hazard statements for health hazards

H319 Causes serious eye irritation.

Supplemental hazard information: -

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 2/11



etolit Edelstahl Glanzrockner

Precautionary statements Prevention

P280 Wear eye/face protection.

Precautionary statements Response

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation 29 CFR 1910.1200	Concentration
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25	Propan-2-ol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger	5 - 15 weight-%
CAS No.: 68439-51-0	fatty alcohol-C12/14-4,5EO-5PO Aquatic Chronic 3 (H412)	5 - 15 weight-%
	fatty alcohol alcoxylate Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) Warning	5 - ≤ 10 weight-%
CAS No.: 77-92-9 EC No.: 201-069-1 REACH No.: 01-2119457026-42	citric acid Eye Irrit. 2 (H319) Warning	1 - ≤ 5 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2 (H319) Warning	1 - ≤ 5 weight-%
CAS No.: 9038-95-3	1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane Acute Tox. 4 (H302) Warning	1 - ≤ 5 weight-%
	fatty alcohol alcoxylate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319) Warning	1 - ≤ 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 3/11



etolit Edelstahl Glanzrockner

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO₂)

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

Carbon dioxide (CO₂)

Carbon monoxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 4/11



etolit Edelstahl Glanzrockner

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m ³) ② 400 ppm (1,000 mg/m ³)
TRGS 900 (DE)	citric acid CAS No.: 77-92-9 EC No.: 201-069-1	① 2 mg/m ³ ② 4 mg/m ³ ⑤ (einatembare Fraktion)

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① parameter ② Test material ③ Time of sampling ④ Remark
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Blut ③ Expositionsende bzw. Schichtende
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Urin ③ Expositionsende bzw. Schichtende

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 5/11



etolit Edelstahl Glanztrockner

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/ kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/ cm ²	① DNEL worker ② Long-term - dermal, local effects

Substance name	PNEC Value	① PNEC type
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	0.44 mg/l	① PNEC aquatic, freshwater
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	0.044 mg/l	① PNEC aquatic, marine water
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	1,000 mg/l	① PNEC sewage treatment plant
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	3.46 mg/kg	① PNEC sediment, freshwater
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	34.6 mg/kg	① PNEC sediment, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/l	① PNEC aquatic, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/l	① PNEC aquatic, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/ kg	① PNEC soil, marine water

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

8.2.3. Environmental exposure controls

No data available

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 6/11



etolit Edelstahl Glanzrockner

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: colourless

Odour: Alcohol

Safety relevant basis data

parameter		at °C	Method	Remark
pH	2.1	20 °C		
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	<i>not determined</i>			
Flash point	= 38 °C			Not sustaining combustion.
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1.04 g/cm ³	20 °C		
Relative density	<i>not determined</i>			
Bulk density	<i>not determined</i>			
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Do not store at temperatures above 35 °C

10.5. Incompatible materials

Alkali (lye)

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 7/11



etolit Edelstahl Glanztrockner

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
fatty alcohol-C12/14-4,5EO-5PO CAS No.: 68439-51-0	LD₅₀ oral: >2,000 mg/kg (Rat)
fatty alcohol alcoxylate	LD₅₀ oral: >2,000 - <5,000 mg/kg (Rat)
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	LD₅₀ oral: =5,400 mg/kg (Mouse) LD₅₀ dermal: >2,000 mg/kg (Rat)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	LC₅₀ Acute inhalation toxicity (vapour): =6.41 mg/l (Rat) LD₅₀ oral: >7,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	LD₅₀ oral: >200 - <2,000 mg/kg
fatty alcohol alcoxylate	LD₅₀ oral: >500 - ≤2,000 mg/kg (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 8/11



etolit Edelstahl Glanzrockner

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	EC₅₀ : >1,000 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)
fatty alcohol-C12/14-4,5EO-5PO CAS No.: 68439-51-0	EC₅₀ : >1 - 10 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) EC₅₀ : >1 - 10 mg/l 3 d (Algae/water plant, Desmodesmus subspicatus) LC₅₀ : >1 - 10 mg/l 4 d (fish-, Leuciscus idus (golden orfe))
fatty alcohol alcoxylate	LC₅₀ : >1 - <10 mg/l 4 d (fish-, Leuciscus idus (golden orfe))
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	LC₅₀ : =440 mg/l 2 d (fish-, Leuciscus idus (golden orfe))
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	LC₅₀ : >1,000 mg/l 4 d (fish-, Oncorhynchus mykiss (Rainbow trout)) EC₅₀ : >1,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) ErC₅₀ : >230 mg/l 4 d (Algae/water plant)
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	LC₅₀ : >100 mg/l 4 d (fish-, Danio rerio (zebrafish-)) EC₅₀ : >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) EC₅₀ : >100 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)
fatty alcohol alcoxylate	LC₅₀ : >10 - <100 mg/l 4 d (fish-, Danio rerio (zebrafish-)) EC₅₀ : >10 - <100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) EC₅₀ : >10 - <100 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus) NOEC : >0.1 - <1 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	Yes, rapidly	
fatty alcohol-C12/14-4,5EO-5PO CAS No.: 68439-51-0	Yes, rapidly	
fatty alcohol alcoxylate	Yes, rapidly	
citric acid CAS No.: 77-92-9 EC No.: 201-069-1	Yes, rapidly	
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	Yes, rapidly	
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	Yes, rapidly	

12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
Propan-2-ol	-0.16	

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 9/11



etolit Edelstahl Glanzrockner

Substance name	Log K _{ow}	Bioconcentration factor (BCF)
CAS No.: 67-63-0 EC No.: 200-661-7		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
fatty alcohol-C12/14-4,5EO-5PO CAS No.: 68439-51-0	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
fatty alcohol alcoxylate	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 10/11



etolit Edelstahl Glanztrockner

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport hazard class(es)			
not relevant			
14.4. Packing group			
not relevant			
14.5. Environmental hazards			
not relevant			
14.6. Special precautions for user			
not relevant			

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations .-:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 8,8%

Regulation (EC) No. 648/2004 (Detergents regulation)

15-30% non-ionic surfactants

5-15% polycarboxylates

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

for substances possibly developing during an incident:

This product is not assigned to a hazard category.

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

2.2. Label elements

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 14 Sep 2021

Print date: 14 Sep 2021

Version: 3

Page 11/11



etolit Edelstahl Glanzrockner

16.4. Classification for mixtures and used evaluation method according to regulation 29 CFR 1910.1200

Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version