according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 1/10



## etolit Fritteusenreiniger

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name/designation:

## etolit Fritteusenreiniger

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Use of the substance/mixture:**

Washing and cleaning products

#### Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau

Germany

**Telephone:** +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de
Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

### 1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	Calculation method.

## 2.2. Label elements

## Labelling according to Regulation 29 CFR 1910.1200

Hazard pictograms:



**(!)** 

GHS05 Corrosion

**GHS07** Exclamation mark

Signal word: Danger

## Hazard components for labelling:

sodium metasilicate, pentahydrate; fatty alcohol alkoxylate; trisodiumphosphate 12-hydrate

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 2/10



## etolit Fritteusenreiniger

hazard statements for health hazards	
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

#### Supplemental hazard information: -

Precautionary statements Prevention	
P280	Wear protective gloves/protective clothing and eye/face protection.

Precautionary statements Response		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation 29 CFR 1910.1200	Concen- tration
CAS No.: 497-19-8 EC No.: 207-838-8 REACH No.: 01-2119485498-19	sodium carbonate Eye Irrit. 2 (H319)  Warning	5 – 25 weight-%
CAS No.: 10213-79-3 REACH No.: 01-2119449811-37	sodium metasilicate, pentahydrate Met. Corr. 1 (H290), STOT SE 3 (H335), Skin Corr. 1B (H314)  Danger	5 – 25 weight-%
CAS No.: 10101-89-0 REACH No.: 01-2119489800-32	trisodiumphosphate 12-hydrate Eye Irrit. 2 (H319), STOT SE 3 (H335), Skin Irrit. 2 (H315)  Warning	5 - ≤ 25 weight-%
	fatty alcohol alkoxylate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319)  Warning	< 5 weight-%

Full text of H- and EUH-phrases: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

## Following inhalation:

Provide fresh air. Get medical advice/attention if you feel unwell. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

according to Regulation 29 CFR 1910.1200

Revision date: 6 Oct 2021 Print date: 6 Oct 2021

Version: 2 Page 3/10



## etolit Fritteusenreiniger

#### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

#### Self-protection of the first aider:

Use personal protection equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Irritation to respiratory tract Serious eye damage/eye irritation

# **4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO2)

#### Unsuitable extinguishing media:

Strong water jet

#### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

## 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Remove persons to safety.

#### **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

#### Personal protection equipment:

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

#### For cleaning up:

Water

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

**Version:** 2 Page 4/10



## etolit Fritteusenreiniger

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

#### Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection High efficiency particulate air filter (HEPA filter)

#### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

## 7.2. Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions:

Keep container tightly closed.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

## 7.3. Specific end use(s)

No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.1.1. Occupational exposure limit values

No data available

## 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	① DNEL worker ② Acute – dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Long-term - oral, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Acute – oral, systemic effects
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	10 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	6.22 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1.49 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 5/10



## etolit Fritteusenreiniger

Substance name	PNEC Value	① PNEC type
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/l	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/l	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.05 mg/l	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.14 mg/kg	① PNEC soil, freshwater
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	7.5 mg/l	① PNEC aquatic, freshwater
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1 mg/l	① PNEC aquatic, marine water
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	1,000 mg/l	① PNEC sewage treatment plant

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

## 8.2.2. Personal protection equipment







## **Eye/face protection:**

Eye glasses with side protection EN 166

## Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

## 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: solid Colour: white

Odour: odourless

## Safety relevant basis data

parameter		at °C	Method	Remark	
рН	14	20 °C			
Melting point	not determined				
Freezing point	not determined				
Initial boiling point and boiling range	not determined				
Decomposition temperature	not determined				
Flash point	not applicable				
Evaporation rate	not determined				
Auto-ignition temperature	not determined				

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 6/10



## etolit Fritteusenreiniger

parameter		at °C	Method	Remark
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	≈ 1 g/cm³	20 °C		
Relative density	not determined			
Bulk density	not determined			
Water solubility	> 50 g/l	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

#### 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product itself does not burn.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Protect from moisture.

## 10.5. Incompatible materials

Exothermic reaction with: Acid

#### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	LD <sub>50</sub> oral: =4,090 mg/kg (Rat) LD <sub>50</sub> dermal: >2,000 mg/kg (Rabbit)
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	LD <sub>50</sub> oral: =1,153 mg/kg (Rat) LD <sub>50</sub> dermal: >5,000 mg/kg (Rat)
trisodiumphosphate 12-hydrate CAS No.: 10101-89-0	LD <sub>50</sub> oral: >2,000 mg/kg (Rat) LD <sub>50</sub> dermal: >2,000 mg/kg (Rat)
fatty alcohol alkoxylate	LD <sub>50</sub> oral: >500 - ≤2,000 mg/kg (Rat)

## Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

en / DE

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 7/10



## etolit Fritteusenreiniger

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation:

Causes severe burns.

#### Serious eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### **Carcinogenicity:**

Based on available data, the classification criteria are not met.

## Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### **STOT-single exposure:**

May cause respiratory irritation.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

#### 11.2. Information on other hazards

No data available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Substance name	Toxicological information
sodium carbonate CAS No.: 497-19-8 EC No.: 207-838-8	<b>EC<sub>50</sub>:</b> >200 - <227 mg/l 2 d (crustaceans, Ceriodaphni a spec) <b>LC<sub>50</sub>:</b> =300 mg/l 4 d (fish-, Lepomis macrochirus (Blueg ill))
sodium metasilicate, pentahydrate CAS No.: 10213-79-3	LC <sub>50</sub> : =210 mg/l 4 d (fish-, Danio rerio (zebrafish-)) EC <sub>50</sub> : =1,700 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))
trisodiumphosphate 12-hydrate CAS No.: 10101-89-0	LC <sub>50</sub> : >100 mg/l 4 d (fish-, Oncorhynchus mykiss (Rain bow trout))  EC <sub>50</sub> : >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))  EC <sub>50</sub> : >100 mg/l 3 d (Algae/water plant, Desmodesmus subspicatus)
fatty alcohol alkoxylate	LC <sub>50</sub> : >10 - <100 mg/l 4 d (fish-, Danio rerio (zebrafish-))  EC <sub>50</sub> : >10 - <100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea))  EC <sub>50</sub> : >10 - <100 mg/l 3 d (Algae/water plant, Scenede smus subspicatus)  NOEC: >0.1 - <1 mg/l 3 d (Algae/water plant, Scenedes mus subspicatus)

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

Version: 2 Page 8/10



## etolit Fritteusenreiniger

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product:

<sup>\*:</sup> Evidence for disposal must be provided.

#### Waste code packaging:

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

#### **Waste treatment options**

#### **Appropriate disposal / Product:**

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)	
14.1. UN number or	ID number			
UN 3253	UN 3253	UN 3253	UN 3253	
14.2. UN proper shi	pping name			
DISODIUM TRIOXO- SILICATE	DISODIUM TRIOXO- SILICATE	DISODIUM TRIOXO- SILICATE	DISODIUM TRIOXO- SILICATE	
14.3. Transport haz	ard class(es)			
( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )		T. S.	( )	
8	8	8	8	
14.4. Packing group	)			
III	III	III	III	
14.5. Environmental hazards				
No	No	No	No	

<sup>\*:</sup> Evidence for disposal must be provided.

according to Regulation 29 CFR 1910.1200

Revision date: 6 Oct 2021 Print date: 6 Oct 2021

Version: 2 Page 9/10



## etolit Fritteusenreiniger

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)		
14.6. Special precautions for user					
Special provisions: Limited quantity (LQ): 5 kg Excepted Quantities	Special provisions: Limited quantity (LQ): 5 kg Excepted Quantities	Special provisions: Limited quantity (LQ): 5 kg Excepted Quantities	Special provisions: Excepted Quantities (EQ): Remark:		
(EQ): E1 Hazard identification number (Kemler No.): 80	(EQ): E1 Classification code-: C6 Remark:	(EQ): E1 EmS-No.: F-A, S-B Remark:	Remark.		
Classification code-: C6					
tunnel restriction code-: (E) Remark:					

## 14.7. Maritime transport in bulk according to IMO instruments

No data available

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

#### Other regulations .-:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 (Detergents regulation):

>30% phosphates

<5% non-ionic surfactants

## 15.1.2. National regulations

#### [DE] National regulations

#### Störfallverordnung

#### for substances contained in the product:

This product is not assigned to a hazard category.

## for substances possibly developing during an incident:

This product is not assigned to a hazard category.

#### Water hazard class

WGK:

1 - schwach wassergefährdend

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### 16.1. Indication of changes

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 16.2. Abbreviations and acronyms

No data available

according to Regulation 29 CFR 1910.1200

**Revision date:** 6 Oct 2021 **Print date:** 6 Oct 2021

**Version:** 2 Page 10/10



## etolit Fritteusenreiniger

## 16.3. Key literature references and sources for data

No data available

# 16.4. Classification for mixtures and used evaluation method according to regulation 29 CFR 1910.1200

Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	Calculation method.

## 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	

## 16.6. Training advice

No data available

## 16.7. Additional information

No data available

<sup>\*</sup> Data changed compared with the previous version