

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 1/10

## etolit GT 100

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

etolit GT 100

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

#### \* 1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard statements for health hazards	
H315	Causes skin irritation.
H319	Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 2/10

## etolit GT 100

Supplemental hazard information: none

### Precautionary statements Prevention

P280 Wear protective gloves and eye/face protection.

### Precautionary statements Response

P337 + P313 If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
	<b>fatty alcohol alcoxyate</b> Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) ⚠ Warning	15 – 30 weight-%
CAS No.: 5949-29-1 EC No.: 201-069-1 REACH No.: 01-2119457026-42	<b>citric acid monohydrate</b> Eye Irrit. 2 (H319) ⚠ Warning	5 – 15 weight-%
CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0 REACH No.: 01-2119457558-25	<b>Propan-2-ol</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) ⚠⚠ Danger	1 – 5 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	<b>sodium p-cumenesulphonate</b> Eye Irrit. 2 (H319) ⚠ Warning	1 – 5 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

#### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 10 Jul 2023

**Print date:** 10 Jul 2023

**Version:** 13.3



Page 3/10

## etolit GT 100

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO<sub>2</sub>)

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### Hazardous combustion products:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Water

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

#### Fire prevent measures:

No special measures are necessary.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 4/10

## etolit GT 100

### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 7 Jun 2018	<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	① 2 mg/m <sup>3</sup> ② 4 mg/m <sup>3</sup> ⑤ (einatembare Fraktion) DFG, Y

#### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 1 Nov 2012	<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Blut ③ Expositionsende bzw. Schichtende
TRGS 903 (DE) from 1 Nov 2012	<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Urin ③ Expositionsende bzw. Schichtende

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	0.5 g/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	888 mg/kg bw/day	① DNEL worker ② Long-term – dermal, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/kg bw/day	① DNEL worker ② Long-term – dermal, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 5/10

## etolit GT 100

Substance name	DNEL value	① DNEL type ② Exposure route
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/cm <sup>2</sup>	① DNEL worker ② Long-term - dermal, local effects
Substance name	PNEC Value	① PNEC type
<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	0.44 mg/L	① PNEC aquatic, freshwater
<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	0.044 mg/L	① PNEC aquatic, marine water
<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	1,000 mg/L	① PNEC sewage treatment plant
<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	3.46 mg/kg	① PNEC sediment, freshwater
<b>citric acid monohydrate</b> CAS No.: 5949-29-1 EC No.: 201-069-1	34.6 mg/kg	① PNEC sediment, marine water
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, freshwater
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, marine water
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	2,251 mg/L	① PNEC sewage treatment plant
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	28 mg/kg	① PNEC soil
<b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	160 mg/kg	① PNEC secondary poisoning
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/L	① PNEC aquatic, freshwater
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/L	① PNEC aquatic, marine water
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/kg	① PNEC soil, marine water

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 6/10

## etolit GT 100

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Eye glasses with side protection EN 166

#### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: colourless

Odour: Alcohol

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	2.1	20 °C	
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	> 90 °C		
Decomposition temperature	not determined		
Flash point	= 54 °C		② Not sustaining combustion.
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	≈ 1.03 g/cm <sup>3</sup>	20 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	completely miscible	20 °C	
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined	40 °C	

#### particle characteristics:

not applicable

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product itself does not burn.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 7/10

## etolit GT 100

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Do not store at temperatures above 40°C

### 10.5. Incompatible materials

Alkali (lye)

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### fatty alcohol alcoxyate

LD<sub>50</sub> oral: >2,000 - <5,000 mg/kg (Rat)

#### citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

LD<sub>50</sub> oral: =5,400 mg/kg (Mouse)

LD<sub>50</sub> dermal: >2,000 mg/kg (Rat)

#### Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

LD<sub>50</sub> oral: =5,840 mg/kg (Rat) OECD 401

LD<sub>50</sub> dermal: =13,800 mg/kg (Rabbit) OECD 402

LC<sub>50</sub> Acute inhalation toxicity (vapour): >25 mg/L 6 h (Rat) OECD 403

#### sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

LD<sub>50</sub> oral: >7,000 mg/kg (Rat)

LD<sub>50</sub> dermal: >2,000 mg/kg (Rabbit)

LC<sub>50</sub> Acute inhalation toxicity (vapour): =6.41 mg/L (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Causes skin irritation.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 8/10

## etolit GT 100

### Additional information:

No data available

### 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### fatty alcohol alcoxylate

LC<sub>50</sub>: >1 - <10 mg/L 4 d (fish-----, Leuciscus idus (golden orfe))

#### citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

LC<sub>50</sub>: =440 mg/L 2 d (fish-----, Leuciscus idus (golden orfe))

#### Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

EC<sub>50</sub>: >100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

LC<sub>50</sub>: =9,640 mg/L 4 d (fish-----, Pimephales promelas (fathead minnow)) OECD 203

#### sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

LC<sub>50</sub>: >1,000 mg/L 4 d (fish-----, Oncorhynchus mykiss (Rainbow trout))

EC<sub>50</sub>: >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC<sub>50</sub>: >230 mg/L 4 d (Algae/water plant)

### 12.2. Persistence and degradability

#### fatty alcohol alcoxylate

Biodegradation: Yes, rapidly

#### citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

Biodegradation: Yes, rapidly

#### Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Biodegradation: Yes, rapidly

#### sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Biodegradation: Yes, rapidly

### 12.3. Bioaccumulative potential

#### Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Log K<sub>ow</sub>: -0.16

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

#### fatty alcohol alcoxylate

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 9/10

## etolit GT 100

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

20 01 29 *	Detergents containing hazardous substances
------------	--

\*: Evidence for disposal must be provided.

##### Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

\*: Evidence for disposal must be provided.

#### Waste treatment options

##### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package:

Completely emptied packages can be recycled.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

##### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 4%

Regulation (EC) No. 648/2004 [Detergents regulation]

15-30% non-ionic surfactants

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 10 Jul 2023

Print date: 10 Jul 2023

Version: 13.3



Page 10/10

## etolit GT 100

### 15.1.2. National regulations

 [DE] National regulations

Störfallverordnung (12. BImSchV)

**for substances contained in the product:**

This product is not assigned to a hazard category.

**for substances possibly developing during an incident:**

This product is not assigned to a hazard category.

**Water hazard class**

**WGK:**

2 - obviously hazardous to water

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

1.4.	Emergency telephone number
9.1.	Information on basic physical and chemical properties

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available

\* Data changed compared with the previous version.