according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 1/11



### etolit GT 300

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name/designation:

### etolit GT 300

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Washing and cleaning products

#### Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

### 1.3. Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau

Germany

Telephone: +49(0)7804/41-0 Telefax: +49(0)7804/41-168 E-mail: info@etol.de

Website: www.etol.de

### \* 1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories             | Hazard statements                    | Classification procedure |
|--|--------------------------------------|--------------------------|
| Serious eye damage/eye irritation (Eye Irrit. 2) | H319: Causes serious eye irritation. | Calculation method.      |

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### **Hazard pictograms:**



## **GHS07** Exclamation mark

Signal word: Warning

| Hazard statements for health hazards |                                |
|--------------------------------------|--------------------------------|
| H319                                 | Causes serious eye irritation. |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 2/11



### etolit GT 300

#### Supplemental hazard information: none

| Precautionary statements Prevention |                                      |
|-------------------------------------|--------------------------------------|
| P280                                | Wear eye protection/face protection. |

| Precautionary stat | tements Response  |
|--------------------|---|
| P337 + P313        | If eye irritation persists: Get medical advice/attention. |

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers  | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]                      | Concentration        |
|--|---|----------------------|
| CAS No.: 67-63-0<br>EC No.: 200-661-7<br>Index No.: 603-117-00-0<br>REACH No.:<br>01-2119457558-25 | Propan-2-ol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336)  Danger                        | 5 – 15<br>weight-%   |
| CAS No.: 68439-51-0  | Fettalkohol-C12/14-4,5 EO-5 PO<br>Aquatic Chronic 3 (H412)  | 5 - 15<br>weight-%   |
|  | fatty alcohol alcoxylate Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315)  Warning | 5 - 15<br>weight-%   |
| CAS No.: 5949-29-1<br>EC No.: 201-069-1<br>REACH No.:<br>01-2119457026-42                          | citric acid monohydrate Eye Irrit. 2 (H319), STOT SE 3 (H335)  • Warning                              | 5 - ≤ 10<br>weight-% |
| CAS No.: 15763-76-5<br>EC No.: 239-854-6<br>REACH No.:<br>01-2119489411-37                         | sodium p-cumenesulphonate Eye Irrit. 2 (H319)  • Warning  | 1 - 5<br>weight-%    |
| CAS No.: 9038-95-3   | 1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane Acute Tox. 4 (H302)  • Warning                        | 1 - 5<br>weight-%    |
|  | fatty alcohol alkoxylate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319)  Warning  | 1 - 5<br>weight-%    |

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

### After eye contact:

Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 3/11



### etolit GT 300

#### Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

#### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### Hazardous combustion products:

Carbon dioxide (CO2)

Carbon monoxide

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water----.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

### **Personal precautions:**

Remove persons to safety.

#### **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

### **Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up:

Water

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 4/11



### etolit GT 300

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

#### Fire prevent measures:

No special measures are necessary.

### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

### 7.3. Specific end use(s)

No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1. Occupational exposure limit values

| Limit value type<br>(country of<br>origin) | Substance name   | <ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol> |
|--|--|--|
| TRGS 900 (DE)                              | Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7               | ① 200 ppm (500 mg/m³)<br>② 400 ppm (1,000 mg/m³)<br>⑤ DFG, Y   |
| TRGS 900 (DE)<br>from 7 Jun 2018           | citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1 | ① 2 mg/m³<br>② 4 mg/m³<br>⑤ (einatembare Fraktion) DFG, Y  |

### 8.1.2. Biological limit values

| Limit value type<br>(country of<br>origin) | Substance name                                       | Limit value | <ul><li>① Parameter</li><li>② Test material</li><li>③ Time of sampling:</li><li>④ Remark</li></ul> |
|--|--|-------------|--|
| TRGS 903 (DE)<br>from 1 Nov 2012           | Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7 | 25 mg/L     | <ol> <li>Aceton</li> <li>Blut</li> <li>Expositionsende bzw. Schichtende</li> </ol>                 |
| TRGS 903 (DE)<br>from 1 Nov 2012           | Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7 | 25 mg/L     | <ol> <li>Aceton</li> <li>Urin</li> <li>Expositionsende bzw. Schichtende</li> </ol>                 |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 5/11



### etolit GT 300

### 8.1.3. DNEL-/PNEC-values

| Substance name  | DNEL value               | <ul><li>① DNEL type</li><li>② Exposure route</li></ul>      |
|---|--------------------------|---|
| <b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7                 | 0.5 g/m³                 | ① DNEL worker<br>② Long-term – inhalation, systemic effects |
| <b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7                 | 888 mg/kg bw/<br>day     | DNEL worker     Long-term - dermal, systemic effects        |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 26.9 mg/m <sup>3</sup>   | DNEL worker     Long-term – inhalation, systemic effects    |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 136.25 mg/kg<br>bw/day   | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.096 mg/cm <sup>2</sup> | DNEL worker     Long-term - dermal, local effects           |

| Substance name  | PNEC Value  | ① PNEC type                   |
|---|-------------|-------------------------------|
| <b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7                 | 140.9 mg/L  | ① PNEC aquatic, freshwater    |
| Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7                  | 140.9 mg/L  | ① PNEC aquatic, marine water  |
| Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7                  | 2,251 mg/L  | ① PNEC sewage treatment plant |
| Propan-2-ol<br>CAS No.: 67-63-0<br>EC No.: 200-661-7                  | 28 mg/kg    | ① PNEC soil                   |
| <b>Propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7                 | 160 mg/kg   | ① PNEC secondary poisoning    |
| citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1    | 0.44 mg/L   | ① PNEC aquatic, freshwater    |
| citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1    | 0.044 mg/L  | ① PNEC aquatic, marine water  |
| citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1    | 1,000 mg/L  | ① PNEC sewage treatment plant |
| citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1    | 3.46 mg/kg  | ① PNEC sediment, freshwater   |
| citric acid monohydrate<br>CAS No.: 5949-29-1<br>EC No.: 201-069-1    | 34.6 mg/kg  | ① PNEC sediment, marine water |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.23 mg/L   | ① PNEC aquatic, freshwater    |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.023 mg/L  | ① PNEC aquatic, marine water  |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.862 mg/kg | ① PNEC sediment, freshwater   |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 6/11



### etolit GT 300

| Substance name  | PNEC Value   | ① PNEC type               |
|---|--------------|---------------------------|
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.037 mg/kg  | ① PNEC soil               |
| sodium p-cumenesulphonate<br>CAS No.: 15763-76-5<br>EC No.: 239-854-6 | 0.0862 mg/kg | ① PNEC soil, marine water |

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No data available

### 8.2.2. Personal protection equipment



### **Eye/face protection:**

Eye glasses with side protection EN 166

### 8.2.3. Environmental exposure controls

No data available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: Liquid Colour: colourless

**Odour:** Alcohol

### Safety relevant basis data

| Parameter                                    | Value                  | at °C | ① Method                     |
|--|------------------------|-------|------------------------------|
|  |                        |       | ② Remark                     |
| рН   | 2.1                    | 20 °C |                              |
| Melting point                                | No data available      |       |                              |
| Freezing point                               | No data available      |       |                              |
| Initial boiling point and boiling range      | > 90 °C                |       |                              |
| Flash point                                  | = 38 °C                |       | ② Not sustaining combustion. |
| Evaporation rate                             | No data available      |       |                              |
| Auto-ignition temperature                    | not applicable         |       |                              |
| Upper/lower flammability or explosive limits | No data available      |       |                              |
| Vapour pressure                              | No data available      |       |                              |
| Vapour density                               | No data available      |       |                              |
| Density                                      | ≈ 1.04 g/cm³           | 20 °C |                              |
| Bulk density                                 | not applicable         |       |                              |
| Water solubility                             | completely<br>miscible | 20 °C |                              |
| Dynamic viscosity                            | No data available      |       |                              |
| Kinematic viscosity                          | No data available      | 40 °C |                              |

### particle characteristics:

not applicable

### 9.2. Other information

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 7/11



### etolit GT 300

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product itself does not burn.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Do not store at temperatures above 35 °C

#### 10.5. Incompatible materials

Alkali (Ive)

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire: Gases/vapours, toxic

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

**LD<sub>50</sub> oral:** =5,840 mg/kg (Rat) OECD 401

**LD<sub>50</sub> dermal:** =13,800 mg/kg (Rabbit) OECD 402

LC<sub>50</sub> Acute inhalation toxicity (vapour): >25 mg/L 6 h (Rat) OECD 403

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

**LD<sub>50</sub> oral:** >2,000 mg/kg (Rat)

fatty alcohol alcoxylate

**LD<sub>50</sub> oral:** >2,000 - <5,000 mg/kg (Rat)

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

**LD<sub>50</sub> oral:** =5,400 mg/kg (Mouse) **LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat)

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

**LD<sub>50</sub> oral:** >7,000 mg/kg (Rat) **LD<sub>50</sub> dermal:** >2,000 mg/kg (Rabbit)

LC<sub>50</sub> Acute inhalation toxicity (vapour): =6.41 mg/L (Rat)

fatty alcohol alkoxylate

**LD<sub>50</sub> oral:** >300 -  $\leq$ 2,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 8/11



### etolit GT 300

#### **Carcinogenicity:**

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### **STOT-single exposure:**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### **Additional information:**

No data available

#### 11.2. Information on other hazards

No data available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

**Propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

**EC<sub>50</sub>:** >100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

LC<sub>50</sub>: =9,640 mg/L 4 d (fish-----, Pimephales promelas (fathead minnow)) OECD 203

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

EC<sub>50</sub>: >1 - 10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

EC<sub>50</sub>: >1 - 10 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)

**LC<sub>50</sub>:** >1 - 10 mg/L 4 d (fish----, Leuciscus idus (golden orfe))

### fatty alcohol alcoxylate

**LC<sub>50</sub>:** >1 - <10 mg/L 4 d (fish----, Leuciscus idus (golden orfe))

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

**LC<sub>50</sub>:** =440 mg/L 2 d (fish----, Leuciscus idus (golden orfe))

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

**LC<sub>50</sub>:** >1,000 mg/L 4 d (fish-----, Oncorhynchus mykiss (Rainbow trout))

EC<sub>50</sub>: >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC<sub>50</sub>: >230 mg/L 4 d (Algae/water plant)

### fatty alcohol alkoxylate

**LC<sub>50</sub>:** >10 - <100 mg/L 4 d (fish-----, Danio rerio (zebrafish-----))

EC<sub>50</sub>: >10 - <100 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

EC<sub>50</sub>: >10 - <100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

**NOEC:** >0.1 - <1 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

#### 12.2. Persistence and degradability

Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Biodegradation: Yes, rapidly

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

Biodegradation: Yes, rapidly

#### fatty alcohol alcoxylate

Biodegradation: Yes, rapidly

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

Biodegradation: Yes, rapidly

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

**Biodegradation:** Yes, rapidly

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 9/11



### etolit GT 300

### 12.3. Bioaccumulative potential

**Propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

Log K<sub>OW</sub>: -0.16

### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

**Propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**Fettalkohol-C12/14-4,5 EO-5 PO** CAS No.: 68439-51-0

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

fatty alcohol alcoxylate

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

fatty alcohol alkoxylate

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

### Waste codes/waste designations according to EWC/AVV

### Waste code product

20 01 29 \* Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

### Waste code packaging

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

\*: Evidence for disposal must be provided.

### Waste treatment options

### **Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

| Land transport (ADR/RID)     | (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR)                         |  |
|------------------------------|-------|----------------------|--|--|
| 14.1. UN number or ID number |       |                      |  |  |
|                              |       |                      | No dangerous good in sense of these transport regulations. |  |

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 10/11



### etolit GT 300

| Land transport (ADR/RID)                                   | Inland waterway craft-<br>(ADN)                            | Sea transport (IMDG)                                       | Air transport (ICAO-TI / IATA-DGR)                         |  |  |  |  |
|--|--|--|--|--|--|--|--|
| 14.2. UN proper shipping name                              |  |  |  |  |  |  |  |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |  |  |  |  |
| 14.3. Transport hazard class(es)                           |  |  |  |  |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |  |  |  |  |
| 14.4. Packing group  |  |  |  |  |  |  |  |
| not relevant   | relevant not relevant not relevant not relevant            |  | not relevant   |  |  |  |  |
| 14.5. Environmental  | hazards  |  |  |  |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |  |  |  |  |
| 14.6. Special precautions for user                         |  |  |  |  |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |  |  |  |  |

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU legislation

### Other regulations (EU):

This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 8,8%

Regulation (EC) No. 648/2004 [Detergents regulation]

15-30% non-ionic surfactants

5-15% polycarboxylates

### 15.1.2. National regulations

#### [DE] National regulations

Störfallverordnung (12. BlmschV)

#### for substances contained in the product:

This product is not assigned to a hazard category.

### for substances possibly developing during an incident:

This product is not assigned to a hazard category.

#### Water hazard class

#### WGK:

2 - obviously hazardous to water

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### 16.1. Indication of changes

|      | · · · · · · · · · · · · · · · · · · ·                 |
|------|---|
| 1.4. | Emergency telephone number                            |
| 9.1. | Information on basic physical and chemical properties |

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Mar 2024 Print date: 20 Mar 2024

**Version:** 12 Page 11/11



### etolit GT 300

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| -g   |                                      |                          |  |  |
|--|--------------------------------------|--------------------------|--|--|
| Hazard classes and hazard categories             | Hazard statements                    | Classification procedure |  |  |
| Serious eye damage/eye irritation (Eye Irrit. 2) | H319: Causes serious eye irritation. | Calculation method.      |  |  |

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements |  |  |
|-------------------|--|--|
| H225              | Highly flammable liquid and vapour.                |  |
| H302              | Harmful if swallowed.                              |  |
| H315              | Causes skin irritation.                            |  |
| H319              | Causes serious eye irritation.                     |  |
| H335              | May cause respiratory irritation.                  |  |
| H336              | May cause drowsiness or dizziness.                 |  |
| H412              | Harmful to aquatic life with long lasting effects. |  |

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

| * | Data | changed | l compared | with th | e previous | version. |
|---|------|---------|------------|---------|------------|----------|
|---|------|---------|------------|---------|------------|----------|