

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 1/9

etolit GT 400 P

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit GT 400 P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox.</i> 4)	H302: Harmful if swallowed.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane

Hazard statements for health hazards	
H302	Harmful if swallowed.

Supplemental hazard information: none

Precautionary statements Response	
P301 + P312	IF SWALLOWED: Call a POISON CENTER if you feel unwell.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 2/9

etolit GT 400 P

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 9038-95-3	1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane Acute Tox. 4 (H302) ⚠ Warning	5 - 20 weight-%
CAS No.: 68439-51-0	Fettalkohol-C12/14-4,5 EO-5 PO Aquatic Chronic 3 (H412)	5 - 20 weight-%
CAS No.: 5949-29-1 EC No.: 201-069-1 REACH No.: 01-2119457026-42	citric acid monohydrate Eye Irrit. 2 (H319) ⚠ Warning	< 5 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2 (H319) ⚠ Warning	< 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 3/9

etolit GT 400 P

Hazardous combustion products:

Carbon monoxide
Carbon dioxide (CO₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 4/9

etolit GT 400 P

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 7 Jun 2018	citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	① 2 mg/m ³ ② 4 mg/m ³ ⑤ (einatembare Fraktion) DFG, Y

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/cm ²	① DNEL worker ② Long-term - dermal, local effects

Substance name	PNEC Value	① PNEC type
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	0.44 mg/L	① PNEC aquatic, freshwater
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	0.044 mg/L	① PNEC aquatic, marine water
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	1,000 mg/L	① PNEC sewage treatment plant
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	3.46 mg/kg	① PNEC sediment, freshwater
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	34.6 mg/kg	① PNEC sediment, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/L	① PNEC aquatic, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/L	① PNEC aquatic, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 5/9

etolit GT 400 P

Substance name	PNEC Value	① PNEC type
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/kg	① PNEC soil, marine water

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: colourless

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	2.4	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 90 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	= 1.03 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Dynamic viscosity	No data available		
Kinematic viscosity	No data available	40 °C	

particle characteristics:

not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 6/9

etolit GT 400 P

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

Alkali (lye)

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3
LD₅₀ oral: <2,000 mg/kg
Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0
LD₅₀ oral: >2,000 mg/kg (Rat)
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1
LD₅₀ oral: =5,400 mg/kg (Mouse)
LD₅₀ dermal: >2,000 mg/kg (Rat)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6
LD₅₀ oral: >7,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rabbit)
LC₅₀ Acute inhalation toxicity (vapour): =6.41 mg/L (Rat)

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 7/9

etolit GT 400 P

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3

LC₅₀: >100 mg/L 4 d (fish-----, Danio rerio (zebrafish-----))

EC₅₀: >100 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

EC₅₀: >100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

EC₅₀: >1 - 10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

EC₅₀: >1 - 10 mg/L 3 d (Algae/water plant, Desmodemus subspicatus)

LC₅₀: >1 - 10 mg/L 4 d (fish-----, Leuciscus idus (golden orfe))

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

LC₅₀: =440 mg/L 2 d (fish-----, Leuciscus idus (golden orfe))

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

LC₅₀: >1,000 mg/L 4 d (fish-----, Oncorhynchus mykiss (Rainbow trout))

EC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC₅₀: >230 mg/L 4 d (Algae/water plant)

12.2. Persistence and degradability

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3

Biodegradation: Yes, rapidly

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

Biodegradation: Yes, rapidly

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

Biodegradation: Yes, rapidly

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Fettalkohol-C12/14-4,5 EO-5 PO CAS No.: 68439-51-0

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 8/9

etolit GT 400 P

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 *	Detergents containing hazardous substances
------------	--

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft-(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 [Detergents regulation]

15-30% non-ionic surfactants

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Nov 2023

Print date: 30 Nov 2023

Version: 1



Page 9/9

etolit GT 400 P

15.1.2. National regulations

 [DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

for substances possibly developing during an incident:

This product is not assigned to a hazard category.

Water hazard class

WGK:

2 - obviously hazardous to water

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available