

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 1/10



## etolit GT 500

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

etolit GT 500

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

#### 1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	Calculation method.
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation 29 CFR 1910.1200

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 2/10



## etolit GT 500

### hazard statements for health hazards

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

### Supplemental hazard information

EUH208	Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
--------	--

### Precautionary statements Response

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
-------------	--

### 2.3. Other hazards

No data available

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation 29 CFR 1910.1200	Concentration
CAS No.: 9038-95-3	<b>1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane</b> Acute Tox. 4 (H302) <b>Warning</b>	15 - ≤ 30 weight-%
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25	<b>Propan-2-ol</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) <b>Danger</b>	< 5 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	<b>sodium p-cumenesulphonate</b> Eye Irrit. 2 (H319) <b>Warning</b>	< 5 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

#### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

#### Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

**Revision date:** 8 Jul 2021

**Print date:** 8 Jul 2021

**Version:** 14

Page 3/10



## etolit GT 500

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:**

- Co-ordinate fire-fighting measures to the fire surroundings.
- Water
- Extinguishing powder
- Carbon dioxide (CO<sub>2</sub>)

#### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

**Hazardous combustion products:**

- Carbon monoxide
- Carbon dioxide (CO<sub>2</sub>)

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Remove persons to safety.

**Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up:**

Water

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8).

**Fire prevent measures:**

No special measures are necessary.

**Advices on general occupational hygiene**

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 4/10



## etolit GT 500

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed.

Do not store at temperatures above Flash point

**Storage class (TRGS 510, Germany):** 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m <sup>3</sup> ) ② 400 ppm (1,000 mg/m <sup>3</sup> )
DFG (DE)	2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	① 0.2 mg/m <sup>3</sup> ② 0.4 mg/m <sup>3</sup> ⑤ (einatembare Fraktion)
DFG (DE)	2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	① 0.2 mg/m <sup>3</sup> ② 0.4 mg/m <sup>3</sup> ⑤ einatembare Fraktion (Reaktionsgemisch, bestehend aus 5-Chlor-2-methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1))
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m <sup>3</sup> ⑤ Mass fraction (wt %): 0

#### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① parameter ② Test material ③ Time of sampling ④ Remark
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Blut ③ Expositionsende bzw. Schichtende
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton ② Urin ③ Expositionsende bzw. Schichtende

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 5/10



## etolit GT 500

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/ kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/ cm <sup>2</sup>	① DNEL worker ② Long-term - dermal, local effects

Substance name	PNEC Value	① PNEC type
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/l	① PNEC aquatic, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/l	① PNEC aquatic, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/ kg	① PNEC soil, marine water

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment



#### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm  
Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: blue

Odour: Alcohol

#### Safety relevant basis data

parameter		at °C	Method	Remark
pH	6	20 °C		
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 6/10



## etolit GT 500

parameter		at °C	Method	Remark
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	<i>not determined</i>			
Flash point	44 °C			Not sustaining combustion.
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1.02 g/cm <sup>3</sup>	20 °C		
Relative density	<i>not determined</i>			
Bulk density	<i>not determined</i>			
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product itself does not burn.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Further information on storage conditions: see subsection 7.2.

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	<b>LD<sub>50</sub> oral:</b> >200 - <2,000 mg/kg
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> =6.41 mg/l (Rat) <b>LD<sub>50</sub> oral:</b> >7,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)

### Acute oral toxicity:

Harmful if swallowed.

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 7/10



## etolit GT 500

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation:

Contains 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

No data available

### 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance name	Toxicological information
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	<b>LC<sub>50</sub></b> : >100 mg/l 4 d (fish-, Danio rerio (zebrafish-)) <b>EC<sub>50</sub></b> : >100 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) <b>EC<sub>50</sub></b> : >100 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	<b>EC<sub>50</sub></b> : >1,000 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	<b>LC<sub>50</sub></b> : >1,000 mg/l 4 d (fish-, Oncorhynchus mykiss (Rainbow trout)) <b>EC<sub>50</sub></b> : >1,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) <b>ErC<sub>50</sub></b> : >230 mg/l 4 d (Algae/water plant)

### 12.2. Persistence and degradability

Substance name	Biodegradation	Remark
1-[2-[2-(3-methoxypropoxy)propoxy]ethoxy]butane CAS No.: 9038-95-3	Yes, rapidly	
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	Yes, rapidly	
sodium p-cumenesulphonate CAS No.: 15763-76-5	Yes, rapidly	

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 8/10



## etolit GT 500

Substance name	Biodegradation	Remark
EC No.: 239-854-6		

### 12.3. Bioaccumulative potential

Substance name	Log K <sub>ow</sub>	Bioconcentration factor (BCF)
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	-0.16	

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product:

20 01 29 \* Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

#### Waste code packaging:

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

\*: Evidence for disposal must be provided.

#### Waste treatment options

##### Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

##### Appropriate disposal / Package:

Completely emptied packages can be recycled.

## SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.



# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

Revision date: 8 Jul 2021

Print date: 8 Jul 2021

Version: 14

Page 9/10



## etolit GT 500

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
<b>14.3. Transport hazard class(es)</b>			
not relevant			
<b>14.4. Packing group</b>			
not relevant			
<b>14.5. Environmental hazards</b>			
not relevant			
<b>14.6. Special precautions for user</b>			
not relevant			

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Other regulations .-:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 5 %

Regulation (EC) No. 648/2004 (Detergents regulation)

>30% non-ionic surfactants

<5% Preservative : methylisothiazolinone, benzisothiazolinone

#### 15.1.2. National regulations

##### [DE] National regulations

##### Störfallverordnung

##### for substances contained in the product:

This product is not assigned to a hazard category.

##### for substances possibly developing during an incident:

This product is not assigned to a hazard category.

##### Water hazard class

##### WGK:

2 - deutlich wassergefährdend

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

3.2.	Mixtures
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

# SAFETY DATA SHEET

according to Regulation 29 CFR 1910.1200

**Revision date:** 8 Jul 2021

**Print date:** 8 Jul 2021

**Version:** 14

Page 10/10



## etolit GT 500

### 16.4. Classification for mixtures and used evaluation method according to regulation 29 CFR 1910.1200

#### Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	Calculation method.
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version