according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023 Print date: 24 Mar 2023 Version: 12.1



Page 1/10

etolit GT 600

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

etolit GT 600

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS] **PW:** Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor Allerheiligenstr. 12 77728 Oppenau Germany Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168 E-mail: info@etol.de Website: www.etol.de

* **1.4. Emergency telephone number**

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

 Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023

Print date: 22 Mar 202 Print date: 24 Mar 2023 Version: 12.1

Page 2/10

etolit GT 600

Supplemental hazard information: none

Precautionary statements Prevention

P280

Wear eye/face protection.

Precautionary statements Response

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
citric acid monohydrate Eye Irrit. 2 (H319) Warning	5 - ≤ 15 weight-%
Propan-2-ol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336)	1 - ≤ 5 weight-%
fatty alcohol alcoxylate Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) Warning	1 – ≤ 5 weight-%
fatty alcohol alkoxylate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319) Warning	1 - ≤ 5 weight-%
sodium p-cumenesulphonate Eye Irrit. 2 (H319) Warning	1 - ≤ 5 weight-%
	Classification according to Regulation (EC) No 1272/2008 [CLP] citric acid monohydrate Eye Irrit. 2 (H319)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Use personal protection equipment.



according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023

Print date: 24 Mar 2023 **Version:** 12.1



Page 3/10

etolit GT 600

4.2. Most important symptoms and effects, both acute and delayed Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Water

Extinguishing powder Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture The product itself does not burn.

Hazardous combustion products:

Carbon monoxide Carbon dioxide (CO2)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). **For cleaning up:**

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 24 Mar 2023 Version: 12.1

Page 4/10

etolit GT 600

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE) from 7 Jun 2018	citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	 2 mg/m³ 4 mg/m³ (einatembare Fraktion) DFG, Y
TRGS 900 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	 200 ppm (500 mg/m³) 400 ppm (1,000 mg/m³) DFG, Y

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	 Parameter Test material Time of sampling: Remark
TRGS 903 (DE) from 1 Nov 2012	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	 Aceton Blut Expositionsende bzw. Schichtende
TRGS 903 (DE) from 1 Nov 2012	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	 Aceton Urin Expositionsende bzw. Schichtende

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/kg bw/day	 DNEL worker Long-term - dermal, systemic effects



according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023 Print date: 24 Mar 2023



Version: 12.1 Page 5/10

etolit GT 600

Substance name	DNEL value	① DNEL type
		2 Exposure route
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/cm ²	 DNEL worker Long-term - dermal, local effects
Substance name	PNEC Value	① PNEC type
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	0.44 mg/L	① PNEC aquatic, freshwater
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	0.044 mg/L	① PNEC aquatic, marine water
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	1,000 mg/L	① PNEC sewage treatment plant
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	3.46 mg/kg	① PNEC sediment, freshwater
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1	34.6 mg/kg	① PNEC sediment, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/L	① PNEC aquatic, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.023 mg/L	① PNEC aquatic, marine water
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	① PNEC sediment, freshwater
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.037 mg/kg	① PNEC soil
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.0862 mg/kg	① PNEC soil, marine water

8.2. Exposure controls

8.2.1. Appropriate engineering controls No data available

8.2.2. Personal protection equipment



Eye/face protection: Eye glasses with side protection EN 166

8.2.3. Environmental exposure controls No data available

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Odour: Alcohol

Colour: yellow

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023 Print date: 24 Mar 2023



Page 6/10

Version: 12.1

etolit GT 600

Parameter	Value	at °C	1 Method
			② Remark
рН	2.1	20 °C	
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	> 90 °C		
Decomposition temperature	not determined		
Flash point	= 54 °C		 Not sustaining combustion.
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	≈ 1 g/cm³	20 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	completely miscible	20 °C	
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined	40 °C	

particle characteristics:

not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

Materials to avoid Alkali (lye)

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

LD₅₀ oral: =5,400 mg/kg (Mouse)

LD₅₀ dermal: >2,000 mg/kg (Rat)

fatty alcohol alcoxylate

LD₅₀ oral: >2,000 - <5,000 mg/kg (Rat)

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 22 Mar 2023 Print date: 24 Mar 2023



Page 7/10

Version: 12.1

etolit GT 600

fatty alcohol alkoxylate
LD_{50} oral: >300 - $\leq 2,000 \text{ mg/kg}$ (Rat)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6
LD ₅₀ oral: >7,000 mg/kg (Rat)
LD ₅₀ dermal: >2,000 mg/kg (Rabbit)
LC ₅₀ Acute inhalation toxicity (vapour): =6.41 mg/L (Rat)
Acute oral toxicity:
Based on available data, the classification criteria are not met.
Acute dermal toxicity:
Based on available data, the classification criteria are not met.
Acute inhalation toxicity:
Based on available data, the classification criteria are not met.
Skin corrosion/irritation:
Based on available data, the classification criteria are not met.
Serious eye damage/irritation:
Causes serious eye irritation.
Respiratory or skin sensitisation:
Based on available data, the classification criteria are not met.
Germ cell mutagenicity:
Based on available data, the classification criteria are not met.
Carcinogenicity:
Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.
STOT-repeated exposure:
Based on available data, the classification criteria are not met.
Aspiration hazard:
Based on available data, the classification criteria are not met.
Additional information:
No data available
11.2. Information on other hazards
No data available
SECTION 12: Ecological information
12.1. Toxicity
citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1
LC ₅₀ : =440 mg/L 2 d (fish, Leuciscus idus (golden orfe))

Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

EC₅₀: >100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

LC₅₀: =9,640 mg/L 4 d (fish-----, Pimephales promelas (fathead minnow)) OECD 203

fatty alcohol alcoxylate

LC₅₀: >1 - <10 mg/L 4 d (fish-----, Leuciscus idus (golden orfe))

fatty alcohol alkoxylate

LC₅₀: >1 - ≤10 mg/L 4 d (fish-----, Leuciscus idus (golden orfe))

EC₅₀: >1 - ≤10 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

NOEC: >0.1 - ≤1 mg/L 21 d (crustaceans, Daphnia magna (Big water flea))

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 24 Mar 2023 Version: 12.1



Page 8/10

etolit GT 600

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

LC₅₀: >1,000 mg/L 4 d (fish-----, Oncorhynchus mykiss (Rainbow trout))

EC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC₅₀: >230 mg/L 4 d (Algae/water plant)

12.2. Persistence and degradability

citric acid monohydrate CAS No.: 5949-29-1 EC No.: 201-069-1

Biodegradation: Yes, rapidly

Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Biodegradation: Yes, rapidly

fatty alcohol alcoxylate

Biodegradation: Yes, rapidly

fatty alcohol alkoxylate

Biodegradation: Yes, rapidly

Biodegradation: Yes, rapidly

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

12.3. Bioaccumulative potential

Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Log K_{OW}: -0.16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. fatty alcohol alcoxylate

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 24 Mar 2023 Version: 12.1



Page 9/10

etolit GT 600

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number	•	;
No dangerous good in sense of these transport regulations.			
14.2. UN proper shij	oping name		
No dangerous good in sense of these transport regulations.			
14.3. Transport haza	ard class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmenta	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	itions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Volatile organic compounds (VOC) content in percent by weight: 4,4% Regulation (EC) No. 648/2004 [Detergents regulation] 5-15% non-ionic surfactants

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

for substances possibly developing during an incident:

This product is not assigned to a hazard category.

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.4. Emergency telephone number

9.1. Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Mar 2023 Print date: 24 Mar 2023 Version: 12.1



Page 10/10

etolit GT 600

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eve Irrit. 2)	H319: Causes serious eye irritation.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.