according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 1/10



## etolit Grundreiniger

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1. Product identifier

Trade name/designation:

etolit Grundreiniger

#### Additional information:

Restricted to professional users.

# **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

## Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

## 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor Allerheiligenstr. 12 77728 Oppenau Germany **Telephone:** +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168 **E-mail:** info@etol.de **Website:** www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

## **1.4. Emergency telephone number**

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories		Classification pro- cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

## 2.2. Label elements

## Labelling according to Regulation 29 CFR 1910.1200 Hazard pictograms:



Signal word: Danger

Hazard components for labelling: sodium hydroxide; Alcohols, C9-11-iso, C10-rich, ethoxylated

according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 2/10

## etolit Grundreiniger

#### hazard statements for health hazards

H314

Causes severe skin burns and eye damage.

## Supplemental hazard information: -

#### **Precautionary statements Prevention**

P280	Wear protective gloves/protective clothing and eye/face protection.
Precautionary stat	tements Response
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/

### 2.3. Other hazards

No data available

## **SECTION 3: Composition / information on ingredients**

#### \* 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation 29 CFR 1910.1200	Concen- tration
CAS No.: 1310-73-2 EC No.: 215-185-5 Index No.: 011-002-00-6 REACH No.: 01-2119457892-27-0035	sodium hydroxide         Skin Corr. 1A (H314) <b>Danger</b> Specific concentration limit (SCL)         Skin Corr. 1A; H314: C ≥ 5%         Skin Corr. 1B; H314: 2% ≤ C < 5%	1 - ≤ 5 weight-%
CAS No.: 78330-20-8	Alcohols, C9-11-iso, C10-rich, ethoxylated Eye Dam. 1 (H318) Danger	$1 - \leq 5$ weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2 (H319) Warning	0 – 2 weight-%

Full text of H- and EUH-phrases: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 3/10

## etolit Grundreiniger

### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

## Self-protection of the first aider:

Use personal protection equipment.

**4.2. Most important symptoms and effects, both acute and delayed** Skin corrosion/irritation Serious eye damage/eye irritation

## **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water Extinguishing powder Carbon dioxide (CO2)

### Unsuitable extinguishing media:

Strong water jet

## 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

## Hazardous combustion products:

Carbon dioxide (CO2)

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Remove persons to safety.

### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

### 6.1.2. For emergency responders

#### **Personal protection equipment:**

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). **For cleaning up:** 

## Water

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 4/10

## etolit Grundreiniger

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### **Protective measures**

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

### 7.2. Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions:

Keep container tightly closed.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

## 7.3. Specific end use(s)

No data available

\*

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values No data available

#### 8.1.2. Biological limit values No data available

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term – inhalation, local effects</li> </ol>
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	26.9 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term - inhalation, systemic effects</li> </ol>
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	136.25 mg/ kg bw/day	<ol> <li>DNEL worker</li> <li>Long-term - dermal, systemic effects</li> </ol>
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.096 mg/ cm <sup>2</sup>	<ol> <li>DNEL worker</li> <li>Long-term - dermal, local effects</li> </ol>
Substance name	PNEC Value	① PNEC type
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.23 mg/l	① PNEC aquatic, freshwater
sodium p-cumenesulphonate	0.023 mg/l	1 PNEC aquatic, marine water
CAS No.: 15763-76-5	0.023 mg/r	
CAS No.: 15763-76-5 EC No.: 239-854-6 sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	0.862 mg/kg	PNEC sediment, freshwater
CAS No.: 15763-76-5 EC No.: 239-854-6 sodium p-cumenesulphonate CAS No.: 15763-76-5		

en / DE



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 5/10

## etolit Grundreiniger

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No data available

## 8.2.2. Personal protection equipment



### Eye/face protection:

Eye glasses with side protection EN 166

## Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

### 8.2.3. Environmental exposure controls

No data available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

### Appearance

**Physical state:** Liquid **Odour:** characteristic

Colour: colourless

### Safety relevant basis data

parameter		at °C	Method	Remark
рН	14	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	= 1.06 g/cm <sup>3</sup>	20 °C		
Relative density	not determined			
Bulk density	not determined			
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

## 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product itself does not burn.



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 6/10

## etolit Grundreiniger

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

No further relevant information available.

### 10.5. Incompatible materials

Alkali (lye) Light metals

\*

## 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	LC <sub>50</sub> Acute inhalation toxicity (vapour): =6.41 mg/l (Rat) LD <sub>50</sub> oral: >7,000 mg/kg (Rat) LD <sub>50</sub> dermal: >2,000 mg/kg (Rabbit)
Alcohols, C9-11-iso, C10-rich, ethoxylated CAS No.: 78330-20-8	LD <sub>50</sub> oral: >300 - <2,000 mg/kg (Rat) LD <sub>50</sub> dermal: >2,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

#### Causes severe burns.

#### Serious eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity:

Based on available data, the classification criteria are not met. **Carcinogenicity:** 

Based on available data, the classification criteria are not met.

## **Reproductive toxicity:**

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

## STOT-repeated exposure:

Based on available data, the classification criteria are not met. **Aspiration hazard:** 

Based on available data, the classification criteria are not met.

## Additional information:

No data available



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 7/10

## etolit Grundreiniger

#### **11.2. Information on other hazards** No data available

## **SECTION 12: Ecological information**

## \* 12.1. Toxicity

Substance name	Toxicological information
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	LC50: >1,000 mg/l 4 d (fish-, Oncorhynchus mykiss (Rainbow trout))EC50: >1,000 mg/l 2 d (crustaceans, Daphnia magna(Big water flea))ErC50: >230 mg/l 4 d (Algae/water plant)
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	LC50: >133 - <189 mg/l 2 d (fish-, Leuciscus idus (gold en orfe))
Alcohols, C9-11-iso, C10-rich, ethoxylated CAS No.: 78330-20-8	LC <sub>50</sub> : >10 - <100 mg/l 4 d (fish-, Leuciscus idus (golde n orfe)) EC <sub>50</sub> : >10 - <100 mg/l 3 d (Algae/water plant)

## \* 12.2. Persistence and degradability

Substance name	Biodegradation	Remark
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	Yes, rapidly	
Alcohols, C9-11-iso, C10-rich, ethoxylated CAS No.: 78330-20-8	Yes, rapidly	

### 12.3. Bioaccumulative potential

Substance name	Log K <sub>OW</sub>	Bioconcentration factor (BCF)
sodium hydroxide CAS No.: 1310-73-2	-3.88	
EC No.: 215-185-5		

## 12.4. Mobility in soil

No data available

\*

## 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Alcohols, C9-11-iso, C10-rich, ethoxylated CAS No.: 78330-20-8	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **12.6. Endocrine disrupting properties**

No data available

## **12.7. Other adverse effects**

No data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 8/10

## etolit Grundreiniger

### Waste code product:

20 01 29 \* Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

## Waste code packaging:

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

\*: Evidence for disposal must be provided.

### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

## Appropriate disposal / Package:

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN number or	ID number		
UN 1824	UN 1824	UN 1824	UN 1824
14.2. UN proper shi	pping name		
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE	SODIUM HYDROXIDE SOLUTION
14.3. Transport haz		JOLOHON	JOLOHON
8	8	8	8
14.4. Packing group	)		
 		III	III
14.5. Environmenta	l hazards		
No	No	No	No
14.6. Special preca	utions for user		
Special provisions: Limited quantity (LQ): 5L Excepted Quantities (EQ): E1	Special provisions: Limited quantity (LQ): 5L Excepted Quantities (EQ): E1	Special provisions: Limited quantity (LQ): 5L Excepted Quantities (EQ): E1	Special provisions: Excepted Quantities (EQ): Remark:
Hazard identification number (Kemler No.): 80 Classification code-: C5	Classification code-: C5 Remark:	EmS-No.: F-A, S-B Remark:	
tunnel restriction code-: (E) Remark:			

No data available



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 9/10

## etolit Grundreiniger

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU legislation

## Other regulations .-:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Volatile organic compounds (VOC) content in percent by weight: 0% Regulation (EC) No. 648/2004 (Detergents regulation) <5% phosphates , non-ionic surfactants

## 15.1.2. National regulations

## [DE] National regulations

### Störfallverordnung

#### for substances contained in the product:

This product is not assigned to a hazard category.

for substances possibly developing during an incident:

This product is not assigned to a hazard category.

## Water hazard class

#### WGK:

1 - schwach wassergefährdend

#### **15.2. Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## 16.1. Indication of changes

- 3.2. Mixtures
- 8.1. Control parameters
- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.5. Results of PBT and vPvB assessment

## 16.2. Abbreviations and acronyms

No data available

#### **16.3. Key literature references and sources for data** No data available

# **16.4.** Classification for mixtures and used evaluation method according to regulation 29 CFR 1910.1200

#### Classification according to Regulation 29 CFR 1910.1200-:

Hazard classes and hazard categories	Hazard statements	Classification pro- cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

## 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



according to Regulation 29 CFR 1910.1200

Revision date: 9 Sep 2021 Print date: 14 Sep 2021 Version: 9

Page 10/10

## etolit Grundreiniger

## 16.6. Training advice

No data available

## 16.7. Additional information

No data available

\* Data changed compared with the previous version



