according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

Version: 1.1
Page 1/10



## etolit Tauchreiniger CL

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name/designation:

## etolit Tauchreiniger CL

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Washing and cleaning products

#### Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

## 1.3. Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau

Germany

Telephone: +49(0)7804/41-0 Telefax: +49(0)7804/41-168 E-mail: info@etol.de

Website: www.etol.de

### 1.4. Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg, 24h: +49(0)76119240

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	Calculation method.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



**GHS05** Corrosion



**GHS09** Environment

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

**Version:** 1.1 Page 2/10



# etolit Tauchreiniger CL

## **Hazard components for labelling:**

disodium metasilicate; sodium hydroxide; Troclosene sodium, dihydrate

Hazard statements	for physical hazards
H290	May be corrosive to metals.

Hazard statements for health hazards		
H314	Causes severe skin burns and eve damage.	

Hazard statements	for environmental hazards
H411	Toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

Precautionary statements Prevention				
P273	Avoid release to the environment.			
P280	Wear protective gloves/protective clothing and eye/face protection.			

Precautionary statements Response		
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 497-19-8 EC No.: 207-838-8 Index No.: 011-005-00-2 REACH No.: 01-2119485498-19	sodium carbonate Eye Irrit. 2 (H319)  Warning	50 - 75 weight-%
CAS No.: 51580-86-0 EC No.: 220-767-7 Index No.: 613-030-01-7 REACH No.: 01-2119489371-33	Troclosene sodium, dihydrate Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Irrit. 2 (H319), STOT SE 3 (H335)  Warning EUH031	5 - 10 weight-%
CAS No.: 6834-92-0 EC No.: 229-912-9 Index No.: 014-010-00-8 REACH No.: 01-2119449811-37	disodium metasilicate STOT SE 3 (H335), Skin Corr. 1B (H314)  Other Danger	5 - 10 weight-%
CAS No.: 1310-73-2 EC No.: 215-185-5 Index No.: 011-002-00-6 REACH No.: 01-2119457892-27-0035	sodium hydroxide Skin Corr. 1A (H314)  Danger  Specific concentration limit (SCL) Skin Corr. 1A; H314: C ≥ 5% Skin Corr. 1B; H314: 2% ≤ C < 5% Skin Irrit. 2; H315: 0.5% ≤ C < 2% Eye Dam. 1; H318: C ≥ 2% Eye Irrit. 2; H319: 0.5% ≤ C < 2%	1 – 5 weight-%

Full text of H- and EUH-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

Version: 1.1



## etolit Tauchreiniger CL

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

## Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

## After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Rinse mouth. Let 1 glass of water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink 1 glass of of water----. Do NOT induce vomiting. Get immediate medical advice/attention.

## Self-protection of the first aider:

Use personal protection equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO2)

## Unsuitable extinguishing media:

Strong water jet

#### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### **Hazardous combustion products:**

In case of fire: Chlorine (Cl2)

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

## 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### Personal precautions:

Remove persons to safety.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

**Version:** 1.1 Page 4/10



## etolit Tauchreiniger CL

### **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

#### **Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

#### For cleaning up:

Water

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

## Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

## 7.2. Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
<b>sodium carbonate</b> CAS No.: 497-19-8 EC No.: 207-838-8	10 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.661 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

Version: 1.1



# etolit Tauchreiniger CL

Substance name	DNEL value	① DNEL type ② Exposure route
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	DNEL worker     Long-term - dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.375 mg/kg	① DNEL worker ② Acute – dermal, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Long-term - oral, systemic effects
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.75 mg/kg	① DNEL worker ② Acute – oral, systemic effects
Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7	8.11 mg/m <sup>3</sup>	DNEL worker     Dong-term – inhalation, systemic effects
disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9	6.22 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9	1.49 mg/kg bw/day	DNEL worker     Long-term - dermal, systemic effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m³	① DNEL worker ② Long-term – inhalation, local effects

Substance name	PNEC Value	① PNEC type
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/L	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.005 mg/L	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.05 mg/L	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4 EC No.: 231-838-7	0.14 mg/kg	① PNEC soil, freshwater
disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9	7.5 mg/L	① PNEC aquatic, freshwater
disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9	1 mg/L	① PNEC aquatic, marine water
<b>disodium metasilicate</b> CAS No.: 6834-92-0 EC No.: 229-912-9	1,000 mg/L	① PNEC sewage treatment plant

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

**Version:** 1.1 Page 6/10



## etolit Tauchreiniger CL

## 8.2.2. Personal protection equipment







#### Eye/face protection:

Eye glasses with side protection EN 166

#### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm Breakthrough time: 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### 8.2.3. Environmental exposure controls

No data available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

## **Appearance**

Physical state: Powder Colour: white

**Odour:** Chlorine

## Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	14	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Vapour pressure	No data available		
Density	≈ 1 g/cm³	20 °C	
Bulk density	No data available		
Water solubility	> 50 g/L	20 °C	

### particle characteristics:

No data available

#### 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Contact with acids liberates toxic gas. The product itself does not burn. May be corrosive to metals.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

Slowly corrodes aluminium and zink under hydrogen evolution. Protect from moisture.

### 10.5. Incompatible materials

Acid

Light metal

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

Version: 1.1 Page 7/10



## etolit Tauchreiniger CL

## 10.6. Hazardous decomposition products

Chlorine

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**sodium carbonate** CAS No.: 497-19-8 EC No.: 207-838-8

 $LD_{50}$  oral: =2,800 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rabbit)

Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7

 $LD_{50}$  oral: =1,400 mg/kg (Rat) LD<sub>50</sub> dermal: >2,000 mg/kg (Rabbit)

disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9

 $LD_{50}$  oral: =1,153 mg/kg (Rat) LD<sub>50</sub> dermal: >5,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Causes severe skin burns and eye damage.

#### Serious eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

## Carcinogenicity:

Based on available data, the classification criteria are not met.

## Reproductive toxicity:

Based on available data, the classification criteria are not met.

## **STOT-single exposure:**

Based on available data, the classification criteria are not met.

## **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

## Additional information:

No data available

#### 11.2. Information on other hazards

No data available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

**sodium carbonate** CAS No.: 497-19-8 EC No.: 207-838-8

LC<sub>50</sub>: =300 mg/L 4 d (fish----, Lepomis macrochirus (Bluegill))

EC<sub>50</sub>: >200 - <227 mg/L 2 d (crustaceans, Ceriodaphnia spec)

Troclosene sodium, dihydrate CAS No.: 51580-86-0 EC No.: 220-767-7

LC<sub>50</sub>: =0.37 mg/L 4 d (fish----, Oncorhynchus mykiss (Rainbow trout))

**EC<sub>50</sub>:** =0.28 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 |an 2024 Print date: 9 Jan 2024

Version: 1.1 Page 8/10



# etolit Tauchreiniger CL

disodium metasilicate CAS No.: 6834-92-0 EC No.: 229-912-9 **LC<sub>50</sub>:** =210 mg/L 4 d (fish-----, Danio rerio (zebrafish-----)) EC<sub>50</sub>: =1,700 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) **sodium hydroxide** CAS No.: 1310-73-2 EC No.: 215-185-5 **LC<sub>50</sub>:** >133 - <189 mg/L 2 d (fish----, Leuciscus idus (golden orfe)) EC<sub>50</sub>: >100 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

#### Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

**sodium hydroxide** CAS No.: 1310-73-2 EC No.: 215-185-5 Log Kow: -3.88

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

No data available

## 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### 13.1.1. Product/Packaging disposal

### Waste codes/waste designations according to EWC/AVV **Waste code product**

ĺ	20 01 20 *	Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

#### Waste code packaging

15 01 10 \* packaging containing residues of or contaminated by dangerous substances \*: Evidence for disposal must be provided.

#### Waste treatment options

## **Appropriate disposal / Product:**

Consult the appropriate local waste disposal expert about waste disposal.

## Appropriate disposal / Package:

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	ID number			
UN 1759	UN 1759	UN 1759	UN 1759	
14.2. UN proper shipping name				
CORROSIVE SOLID, N.O.S. (disodium metasilicate, sodium hydroxide)	CORROSIVE SOLID, N.O.S. (disodium metasilicate, sodium hydroxide)	CORROSIVE SOLID, N.O.S. (disodium metasilicate, Sodium hydroxide)	CORROSIVE SOLID, N.O.S. (disodium metasilicate, Sodium hydroxide)	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

**Version:** 1.1 Page 9/10



## etolit Tauchreiniger CL

Land transport (ADR/RID	Inland waterway craft- (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport haz	ard class(es)		,
8	8	8	8
14.4. Packing group			
III	III	III	111
14.5. Environmenta	l hazards		
No	No	No data available	No data available
14.6. Special preca	itions for user	`	
<b>Special Provisions:</b> 274	Special Provisions: 274	Special Provisions: 274	<b>Special Provisions:</b> 274
<b>Limited quantity (LQ):</b> 5 kg	Limited quantity (LQ): 5 kg	Limited quantity (LQ): 5 kg	Limited quantity (LQ): 5 kg
Excepted Quantities (EQ):	Excepted Quantities (EQ):	Excepted Quantities (EQ):	Excepted Quantities (EQ):
Hazard identification number (Kemler No.): 80	Classification code:	EmS-No.: F-A, S-B	
Classification code:			
Tunnel restriction code: (E)			

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## **SECTION 15: Regulatory information**

# \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

### Other regulations (EU):

Regulation (EC) No. 648/2004 [Detergents regulation]

- 5 15 % chlorine-based bleaching agents
- > 30 % phosphates

Volatile organic compounds (VOC) content in percent by weight: 0%

## 15.1.2. National regulations

## [DE] National regulations

#### Water hazard class

#### WGK:

2 - obviously hazardous to water

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## 16.1. Indication of changes

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 16.2. Abbreviations and acronyms

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Jan 2024 Print date: 9 Jan 2024

**Version:** 1.1 Page 10/10



# etolit Tauchreiniger CL

## 16.3. Key literature references and sources for data

No data available

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	On basis of test data.
	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	Calculation method.

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

## 16.6. Training advice

No data available

## 16.7. Additional information

No data available

<sup>\*</sup> Data changed compared with the previous version.