according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 1/9



etolit Tiefkühlreiniger

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit Tiefkühlreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12 77728 Oppenau Germany

Telephone: +49(0)7804/41-0 **Telefax:** +49(0)7804/41-168

E-mail: info@etol.de
Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]-.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: -

Supplemental hazard information: -

Precautionary statements: -

2.3. Other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 2/9



etolit Tiefkühlreiniger

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25	Propan-2-ol Eye Irrit. 2, Flam. Liq. 2, STOT SE 3 Danger H225-H319-H336	5 - ≤ 10 weight-%
	fatty alcohol alkoxylate 4 Acute Tox. 4, Aquatic Chronic 3, Eye Irrit. 2 Warning H302-H319-H412	1 - ≤ 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Extinguishing powder

Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

Carbon dioxide (CO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 3/9



etolit Tiefkühlreiniger

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 4/9



etolit Tiefkühlreiniger

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m³) ② 400 ppm (1,000 mg/m³)
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	 parameter Test material Time of sampling Remark
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	① Aceton② Blut③ Expositionsende bzw. Schichtende
TRGS 903 (DE)	Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	25 mg/L	 Aceton Urin Expositionsende bzw. Schichtende

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Propanediol CAS No.: 57-55-6	168 mg/m ³	① DNEL worker
CAS No.: 57-55-6		② Long-term – inhalation, systemic effects
Propanediol	10 mg/m ³	① DNEL worker
CAS No.: 57-55-6		② Long-term – inhalation, local effects
Propanediol	10 mg/m ³	① DNEL worker
CAS No.: 57-55-6		② Acute - inhalation, local effects
Propanediol	213 mg/kg	① DNEL worker
CAS No.: 57-55-6	bw/day	② Long-term - dermal, systemic effects
Propanediol	85 mg/kg bw/day	① DNEL worker
CAS No.: 57-55-6		② Long-term - oral, systemic effects
2,2',2"-nitrilotriethanol	1 mg/m³	① DNEL worker
CAS No.: 102-71-6 EC No.: 203-049-8		② Long-term – inhalation, local effects
2,2',2''-nitrilotriethanol	7.5 mg/kg	① DNEL worker
CAS No.: 102-71-6	7.59,9	② Long-term - dermal, systemic effects
EC No.: 203-049-8		© Long term derman, systemic enects
2,2',2"-nitrilotriethanol	0.14 mg/cm ²	① DNEL worker
CAS No.: 102-71-6 EC No.: 203-049-8		② Long-term - dermal, local effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 5/9



etolit Tiefkühlreiniger

Substance name	PNEC Value	① PNEC type
Propanediol CAS No.: 57-55-6	260 mg/l	① PNEC aquatic, freshwater
Propanediol CAS No.: 57-55-6	26 mg/l	① PNEC aquatic, marine water
Propanediol CAS No.: 57-55-6	20,000 mg/l	① PNEC sewage treatment plant
Propanediol CAS No.: 57-55-6	572 mg/kg	① PNEC sediment, freshwater
Propanediol CAS No.: 57-55-6	57.2 mg/kg	① PNEC sediment, marine water
2,2',2''-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	0.32 mg/l	① PNEC aquatic, freshwater
2,2',2''-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	0.032 mg/l	① PNEC aquatic, marine water
2,2',2''-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	10 mg/l	① PNEC sewage treatment plant
2,2',2"-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	1.7 mg/kg	① PNEC sediment, freshwater
2,2',2"-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	0.17 mg/kg	① PNEC sediment, marine water
2,2',2''-nitrilotriethanol CAS No.: 102-71-6 EC No.: 203-049-8	0.151 mg/kg	① PNEC soil

* 8.2. Exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: colourless

Odour: characteristic

Safety relevant basis data

parameter		at °C	Method	Remark
рН	11.3	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	not determined			
Flash point	40 °C			Not sustaining combustion.
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	= 1 g/cm ³	20 °C		
Bulk density	not determined			
Water solubility	completely miscible	20 °C		

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 6/9



etolit Tiefkühlreiniger

parameter		at °C	Method	Remark
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn. not relevant

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire: Gases/ vapours, toxic

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance name	Toxicological information	
fatty alcohol alkoxylate 4	LD ₅₀ oral:	
	>300 - <2,000 mg/kg (Rat)	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 7/9



etolit Tiefkühlreiniger

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	EC₅₀: >1,000 mg/l 3 d (Algae/water plant, Scenedesmu s subspicatus)
fatty alcohol alkoxylate 4	LC ₅₀ : >1 - <10 mg/l 2 d (fish-, Leuciscus idus (golden orfe)) NOEC: >0.1 - <1 mg/l 21 d

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
Propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	Yes, rapidly	
fatty alcohol alkoxylate 4	Yes, rapidly	

12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
Propan-2-ol CAS No.: 67-63-0	-0.16	
EC No.: 200-661-7		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

2	0 01 29 *	Detergents	containing	hazardous	substances
---	-----------	------------	------------	-----------	------------

^{*:} Evidence for disposal must be provided.

Waste code packaging:

15 01 10 * packaging containing residues of or contaminated by dangerous substances

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

^{*:} Evidence for disposal must be provided.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 8/9



etolit Tiefkühlreiniger

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shi	pping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haz	ard class(es)		
not relevant			
14.4. Packing group)		
not relevant			
14.5. Environmenta	l hazards		
not relevant			
14.6. Special preca	utions for user		
not relevant			_

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 7%

Regulation (EC) No. 648/2004 (Detergents regulation)

<5% non-ionic surfactants

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Water hazard class

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.2.	Relevant identified uses of the substance or mixture and uses advised against
2.1.	Classification of the substance or mixture
2.2.	Label elements
3.2.	Mixtures

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25 Mar 2021 Print date: 25 Mar 2021

Version: 6.1 Page 9/9



etolit Tiefkühlreiniger

8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
11.1.	Information on toxicological effects
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]-.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

No data available

^{*} Data changed compared with the previous version