

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 1/10

etolit basic Universalreiniger chlorhaltig

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit basic Universalreiniger chlorhaltig

UFI:

Q75K-YC0J-P035-KRQ0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol Eberhard Tripp GmbH

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--|--------------------------|
| Corrosive to metals (<i>Met. Corr. 1</i>) | H290: May be corrosive to metals. | On basis of test data. |
| Skin corrosion/irritation (<i>Skin Corr. 1</i>) | H314: Causes severe skin burns and eye damage. | Calculation method. |
| Serious eye damage/eye irritation (<i>Eye Dam. 1</i>) | H318: Causes serious eye damage. | Calculation method. |
| Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>) | H412: Harmful to aquatic life with long lasting effects. | Calculation method. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 2/10

etolit basic Universalreiniger chlorhaltig

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard components for labelling:

potassium hydroxide; sodium hypochlorite solution

Hazard statements for physical hazards

| | |
|------|-----------------------------|
| H290 | May be corrosive to metals. |
|------|-----------------------------|

Hazard statements for health hazards

| | |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
|------|--|

Hazard statements for environmental hazards

| | |
|------|--|
| H412 | Harmful to aquatic life with long lasting effects. |
|------|--|

Supplemental hazard information

| | |
|--------|---|
| EUH031 | Contact with acids liberates toxic gas. |
|--------|---|

Precautionary statements Prevention

| | |
|------|---|
| P280 | Wear protective gloves/protective clothing and eye/face protection. |
|------|---|

Precautionary statements Response

| | |
|--------------------|--|
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
|--------------------|--|

| | |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|--------------------|--|

| | |
|------|---|
| P310 | Immediately call a POISON CENTER/doctor/... |
|------|---|

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 3/10

etolit basic Universalreiniger chlorhaltig

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|--|--------------------|
| CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33 | potassium hydroxide Acute Tox. 4 (H302), Skin Corr. 1A (H314) Danger Specific concentration limit (SCL) Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Dam. 1; H318: $C \geq 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$ | 5 - 15 weight-% |
| CAS No.: 7681-52-9 EC No.: 231-668-3 Index No.: 017-011-00-1 REACH No.: 01-2119488154-34 | sodium hypochlorite solution Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314) Danger EUH031 M-factor (acute): 10 M-factor (chronic): 1 Specific concentration limit (SCL) $C \geq 5\%$ | 1 - 2 weight-% |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let 1 glass of water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink 1 glass of of water-----. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water , Carbon dioxide (CO₂) , Extinguishing powder
Co-ordinate fire-fighting measures to the fire surroundings.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 4/10

etolit basic Universalreiniger chlorhaltig

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (Cl₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-----.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Protect from sunlight.

Packaging materials:

Keep/Store only in original container.

Container should not be closed gas-tight.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 5/10

etolit basic Universalreiniger chlorhaltig

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type ② Exposure route |
|---|------------------------|---|
| potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3 | 1 mg/m ³ | ① DNEL worker ② Long-term - inhalation, local effects |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 1.55 mg/m ³ | ① DNEL worker ② Long-term - inhalation, systemic effects |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 3.1 mg/m ³ | ① DNEL worker ② Acute - inhalation, systemic effects |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 1.55 mg/m ³ | ① DNEL worker ② Long-term - inhalation, local effects |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 3.1 mg/m ³ | ① DNEL worker ② Acute - inhalation, local effects |

| Substance name | PNEC Value | ① PNEC type |
|---|------------|-------------------------------|
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 0.21 µg/L | ① PNEC aquatic, freshwater |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 0.042 µg/L | ① PNEC aquatic, marine water |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 0.03 mg/L | ① PNEC sewage treatment plant |
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 | 11.1 mg/kg | ① PNEC secondary poisoning |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) >0,2mm
Breakthrough time: >480min In the case of wanting to use the gloves again, clean them before taking

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 6/10

etolit basic Universalreiniger chlorhaltig

off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: Chlorine

Safety relevant basis data

| Parameter | Value | at °C | ① Method ② Remark |
|--|-------------------------|-------|----------------------|
| pH | 14 | 20 °C | |
| Melting point | <i>not determined</i> | | |
| Freezing point | <i>not determined</i> | | |
| Initial boiling point and boiling range | > 90 °C | | |
| Decomposition temperature | <i>not determined</i> | | |
| Flash point | <i>not applicable</i> | | |
| Evaporation rate | <i>not determined</i> | | |
| Auto-ignition temperature | <i>not determined</i> | | |
| Upper/lower flammability or explosive limits | <i>not determined</i> | | |
| Vapour pressure | <i>not determined</i> | | |
| Vapour density | <i>not determined</i> | | |
| Density | ≈ 1.1 g/cm ³ | 20 °C | |
| Relative density | <i>not determined</i> | | |
| Bulk density | <i>not determined</i> | | |
| Water solubility | completely miscible | 20 °C | |
| Partition coefficient: n-octanol/water | <i>not determined</i> | | |
| Dynamic viscosity | <i>not determined</i> | | |
| Kinematic viscosity | <i>not determined</i> | 40 °C | |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Contact with acids liberates toxic gas. The product itself does not burn.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Slowly corrodes aluminium and zink under hydrogen evolution.

10.5. Incompatible materials

Acid

Light metal

10.6. Hazardous decomposition products

Chlorine

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 7/10

etolit basic Universalreiniger chlorhaltig

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| |
|---|
| potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3 |
|---|

| |
|--|
| LD ₅₀ oral: =333 mg/kg (Rat) OECD 405 |
|--|

| |
|--|
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 |
|--|

| |
|---|
| LD ₅₀ oral: =1,100 mg/kg (Rat) |
|---|

| |
|---|
| LD ₅₀ dermal: >20,000 mg/kg (Rabbit) |
|---|

| |
|--|
| LC ₅₀ Acute inhalation toxicity (vapour): >10.5 mg/L (Rabbit) |
|--|

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

| |
|---|
| potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3 |
|---|

| |
|--|
| LC ₅₀ : =80 mg/L 4 d (fish-----, Gambusia affinis (Mosquito fish-----)) |
|--|

| |
|--|
| sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3 |
|--|

| |
|---|
| LC ₅₀ : =0.06 mg/L 4 d (fish-----) |
|---|

| |
|-----------------------------------|
| NOEC: =0.04 mg/L 12 d (fish-----) |
|-----------------------------------|

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

| |
|---|
| potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3 |
|---|

| |
|--------------------------------|
| Biodegradation: not applicable |
|--------------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 8/10

etolit basic Universalreiniger chlorhaltig

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

Biodegradation: not applicable

12.3. Bioaccumulative potential

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Log K_{OW}: -3.88

sodium hypochlorite solution CAS No.: 7681-52-9 EC No.: 231-668-3

Log K_{OW}: -3.42

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Directive 2008/98/EC (Waste Framework Directive)

HP 8 Corrosive

Waste code packaging

15 01 10 * packaging containing residues of or contaminated by dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft- (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or ID number | | | |
| UN 3266 | UN 3266 | UN 3266 | UN 3266 |
| 14.2. UN proper shipping name | | | |
| CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite) | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite) | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite) | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite) |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022





Print date: 9 May 2022

Version: 1



Page 9/10

etolit basic Universalreiniger chlorhaltig

| Land transport (ADR/RID) | Inland waterway craft- (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|---|---|--|--|
| 14.3. Transport hazard class(es) | | | |
|  8 |  8 |  8 |  8 |
| 14.4. Packing group | | | |
| II | II | II | II |
| 14.5. Environmental hazards | | | |
| No | No | No | No |
| 14.6. Special precautions for user | | | |
| Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code-----: C5 Tunnel restriction code-----: (E) | Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code-----: C5 | Special provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B | No data available |

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Regulation (EC) No. 648/2004 (Detergents regulation)

5-15% phosphates

<5% chlorine-based bleaching agents

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Named dangerous substances:

- Mixtures of sodium hypochlorite, aquatic acute 1 and < 5% active chlorine

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 4 May 2022

Print date: 9 May 2022

Version: 1



Page 10/10

etolit basic Universalreiniger chlorhaltig

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--|--------------------------|
| Corrosive to metals (<i>Met. Corr. 1</i>) | H290: May be corrosive to metals. | On basis of test data. |
| Skin corrosion/irritation (<i>Skin Corr. 1</i>) | H314: Causes severe skin burns and eye damage. | Calculation method. |
| Serious eye damage/eye irritation (<i>Eye Dam. 1</i>) | H318: Causes serious eye damage. | Calculation method. |
| Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>) | H412: Harmful to aquatic life with long lasting effects. | Calculation method. |

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| Hazard statements | |
|-------------------|---|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

| Supplemental hazard information | |
|---------------------------------|---|
| EUH031 | Contact with acids liberates toxic gas. |

16.6. Training advice

No data available

16.7. Additional information

No data available