

etolmax KSS

Dosing device for rinse aid, speed-controlled device for automatic dosing of etolit rinse aids

Device description

- > Dosing device with real speed control with closed control loop for automatic input of liquid rinsers
- > Self-priming hose pump with spring-loaded rotor rollers and snap-on lid for easy and fast pump hose change
- > Empty display for the rinse container by suction lance
- > Optionally for internal can also be connected to an external empty display
- > 3 LEDs (display standby: LED 1 green continuous light, dosing: LED 2 green flashing, fault/ fault: LED 3 red continuous light)

Delivery/ Connection material

- 1 Dosing device
- 4 m Connection cable 4 x 1.0 mm²
- 1 Check valve stainless steel 6 mm 1/8" with hose adapter and O-ring seal
- 10 m Glass fiber reinforced silicone hose blue ID 6 x AD 12
- 1 Foot valve 12mm
- 1 Hose holder PP KSS 6x3 mm blue
- 1 Hose clamp
- 1 Wall mounting material


Technical data

- > Voltage..... 230 V, 50 Hz, 16 VA
- > Protection class.....IP 65
- > Dosing area..... 55 - 4000 ml/h
- > Dosing time monitoring..... With suction lance
- > Pressure..... Max. 2 bar
- > Suction height.....Max. 1,7m
- > Dimensions..... 92 x 170 x 130 mm

Application




Product image



etolmax KSS

Electrical connection sketch



etolmax KSS

Spare parts

<u>Article</u>	<u>Description</u>
2000738	Non return valve stainless steel 6 mm, 1/8" (for glass fiber reinforced clear rinse hose)
2000740	Hose holder PP KSS 6x3 mm blue (for glass fiber reinforced rinse hose)
2000741	Silicone hose blue ID 6 x AD 12 (glass fiber reinforced hose for clear-water cleaner)
2002217	Foot valve 12mm
2003152	Rotor cover 9911 blue
2003157	Pump casings cover etolmax KSS/812 NEW
2003158	Pump hose PS 138- .2*1.6 Ri4 etolmax KSS, etolmat KSS
2003176	Pump hose SET PS 138- x1.6*1.6 Ri4 etolmax KSS, etolmat KSS
2003178	Pump hose PS 138- x1.6*1.6 Ri4 etolmax KSS, etolmat KSS