Plastics Technology

etol

blu'box

cool-accu

Original – User manual Art.-no. 4000388



For transportation of cold food and drinks in combination with:
blu'box 13, blu'box 26 or blu'box 52

Articles are subject to changes

- **Use**

  - In high cover Art.-no. 664201677

blu'box 13	**Art.-no.**
blu'box 13 eco	4000528
blu'box 13 standard	4000529



blu'box 26	**Art.–no.**
blu'box 26 eco	4000349
blu'box 26 eco plus	4000442
blu'box 26 eco plus liquid	4000409
blu'box 26 standard	4000330
blu'box 26 plus	4000410
blu'box 26 plus liquid	4000392



  - As a slide-in module for the blu'box 52

blu'box 52	**Art.-no.**
blu'box 52 gn	4000445
blu'box 52 gn / en	4000348



  - Temperature area

- 18°C ≤ to ≤ + 70°C

- **Instructions**

  - Removal of the cool – accu Art.-no. 4000388

Pull the button upwards 	Pull the cool - accu out of the guides 

  - Equipping the cool - accu

Insert the front side into the guides, and then firmly push the button in the cover. 	Check if the button is locked 

- **Cleaning**



- The cool – accus are dishwasher-safe.
- For cleaning we recommend the use of etolit 3000 or 8000.
- Please **DO NOT** clean the cool – accu with a high-pressure cleaner.

- **Storage**

The cool - accus must be stored horizontally, correctly stacked on top of each other and must be kept in clean, dry rooms.





- **Handling**

Please **DO NOT** throws the articles!		cool-accu Art. no. 4000388  high lid Art. no. 664201677 

- **Technical data**

Main dimensions and weights



- **Producer**

etol Eberhard Tripp GmbH • Allerheiligenstraße 12 • 77728 Oppenau • Germany
T. + 49 (0) 7804 410 www.bluline.de - info.bluline@etol.de

- **Notes**

Powerful products for commercial kitchens.
www.etol.de

etol Eberhard Tripp GmbH • Allerheiligenstraße 12 • 77728 Oppenau • Germany
T. +49 (0)7804 410 • www.bluline.de • info.bluline@etol.de